


INDEX SEMINUM ET SPORARUM

QUAE

HORTUS BOTANICUS CONIMBRIGENSIS
PRO MUTUA COMMUTATIONE OFFERT

Anno 1998



Hortus Botanicus

DEPARTAMENTO DE BOTÂNICA
Faculdade de Ciências e Tecnologia
UNIVERSIDADE DE COIMBRA
PORTUGAL

collector: Manuel Cardoso Alves

The request of seeds can be made using the Internet
available formulary: <http://alf.ci.uc.pt/jardbot>

Index Seminum Information

(pay attention: the code number may not be in numerical order)

Geographical position

Lat.: 40° 12' 25" N
Long.: 8° 25' 30" W
Alt.: 25-110 m
above sea level

Cultivated taxa:
about 3500

Main collections:

Gymnospermae
Myrtaceae
Leguminosae
Aceraceae

Staff:

HEAD OF DEPARTMENT
José Firmino Mesquita

CURATOR

Ana Cristina Tavares

COLLECTORS

Manuel Cardoso Alves
Jaime Ventura Forte

Address:

JARDIM BOTÂNICO DA
UNIVERSIDADE DE COIMBRA
Arcos do Jardim
3049 Coimbra Codex PORTUGAL
Tel.: 039 22897
Fax: 00 351 039 20780
E-mail: jardbot@condor.ci.uc.pt

ISSN 0870-869

SOME REPORTS ABOUT THE BOTANICAL GARDEN OF COIMBRA

- Founded between 1772-1774 by order of the Marquês de Pombal.
- Climatic indications* (from the Geophysical Institute of the University of Coimbra)

*1996 Data	Monthly Media		Absolute Values	
	Highest	Lowest	Maximum	Minimum
Temperature (°C)	29 (Jun;Jul)	5,5 (Feb)	38,1 (12 Jun)	- 1,5 (17 Feb)
Relative humidity (%)	86 (Jan; Nov)	68 (Jun)	98 (13 Feb; 18 Oct)	10 (21 Sept)
Monthly accumulated precipitation (mm)	—	—	285,6 (Jan)	3,6 (Jun)
Total insolation (sun hours/day)	10 (Jun; Jul)	2,5 (Jan)	—	—


- The BOTANICAL GARDEN is a unit of the UNIVERSITY OF COIMBRA, Faculty of Sciences and Technology — DEPARTMENT OF BOTANY. It is an establishment for education and research.

The BOTANICAL GARDEN OF COIMBRA covers an area of about 13 ha and it is divided in two parts

1. The highest part of the garden has a more elaborated conception in the style of the European gardens of the 18th century. There are different terraces where one can see the Order Beds, the greenhouses and a beautiful central Fountain;

2. The «Arboretum», in the lowest part of the garden, where a dense vegetation with exotic trees predominates, includes a valley with a Monocotyledonae collection, an excellent collection of *Eucalyptus* (about 47 species) and a splendid forest of bamboos.

Portugal



Geographical position of Portugal in the World Map



- AAI - Alto Alentejo
- Ag - Algarve
- BA - Beira Alta
- BAI - Baixo Alentejo
- BB - Beira Baixa
- BL - Beira Litoral
- DL - Douro Litoral
- E - Estremadura
- MI - Minho
- R - Ribatejo
- TM - Trás-os-Montes
(Alto Douro)

Portuguese map with province codes (Flora Ibérica, 1986)

INDEX SEMINUM ET SPORARUM

QUAE
HORTUS BOTANICUS CONIMBRIGENSIS
PRO MUTUA COMMUTATIONE OFFERT

(Anno 1994, 1995, 1996, 1997 collectorum)



*— Semina e plantis spontaneis in loco natali lecta.

**— Semina germinationis brevis tempore proprio mituntur.

PTERIDOPHYTA

ADIANTACEAE

- 1 * Adiantum capillus-veneris L. 94
- 2 — hispidulum Sw. 94
- 6 Onychium japonicum (Thunb.) Kunze 94

ASPIDIACEAE

- 36 * Dryopteris affinis (Lowe) Fraser-Jenk. subsp. affinis 94
- 37 — atrata (Wall.) Ching 94
- 38 * — dilatata (Hoffm.) A. Gray 97
- 39 * — expansa (C. Presl) Fraser-Jenkins & Jermy 94
- 1641 * — felix-mas (L.) Schott. 97
- 42 * Polystichum setiferum (Forssk.) Woy. 94

ASPLENIACEAE

- 9 * Asplenium adiantum-nigrum L. subsp. adiantum-nigrum 94
- 10 — aethiopicum (Burm.f.) B & D. ssp. braithwaitii Ormonde 94
- 11 — bulbiferum G. Forst. 94
- 12 — hemionites L. 94
- 13 — nidus L. var. nidus 94
- 14 * — billotii F. W. Schultz 94
- 15 * — onopteris L. 94
- 16 * — ruta-muraria L. subsp. ruta-muraria 97
- 17 * — septentrionale (L.) Hoffm. subsp. septentrionale 94
- 18 * — trichomanes L. subsp. quadrivalens D. E. Mey. 94
- 19 — viviparum (L. f.) C. Presl var. viviparum 94
- 20 * Ceterach officinarum Willd. subsp. officinarum 94
- 21 * Phyllitis scolopendrium (L.) Newman subsp. scolopendrium 94

ATHYRIACEAE

- 72 * Athyrium filix-femina (L.) Roth 94
- 73 * Cystopteris (fragilis (L.) Bernh.) 94 *viridula*

BLECHNACEAE

- 22 *Blechnum brasiliense* Desv. 94
 23 — *fragile* (Lieben.) C. V. Morton & Lellinger 94
 24 * — *spicant* (L.) Roth var. *spicant* 94
 25 *Doodia aspera* R. Br. 94
 26 — *caudata* (Cav.) R. Br. 94
 27 — *dives* Kunze 94
 28 — *media* R. Br. 94
 29 *Woodwardia radicans* (L.) Sm. 94
 30 — *virginica* (L.) Sm. 94

DAVALLIACEAE

- 31 * *Davallia canariensis* (L.) Sm. 94

DICKSONIACEAE

- 32 *Cibotium glaucum* (Sm.) Hook. & Arn. 94
 34 *Dicksonia antarctica* Labill. 94
 35 — *sellowiana* (C. Presl) Hook. 94

DRYOPTERIDACEAE

- 40 *Cyrtomium falcatum* (L. f.) Copel. 94
 41 — *fortunei* J. Sm. 94

EQUISETACEAE

- 43 * *Equisetum arvense* L. 94
 44 * — *palustre* L.
 45 * — *ramosissimum* Desf. 94
 46 * — *telmateia* Ehrh. 94

HEMIONITIDACEAE

- 47 * *Anogramma leptophylla* (L.) Link 94
 1642 * *Cosentinia vellea* (Aiton) Tod. 96

HYPOLEPIDACEAE

- 49 *Dennstaedtia adiantoides* (H.B. Willd) T. Moore 94
 50 *Microlepia hirta* (Kaulf.) C. Presl 94
 51 — *platyphylla* (D. Don) Sm. 94
 52 * *Pteridium aquilinum* (L.) Kuhn 94

OLEANDRACEAE

- 53 *Nephrolepis exaltata* (L.) Schott 94

OSMUNDACEAE

- 55 * *Osmunda regalis* L. 94

POLYPODIACEAE

- 56 *Microsorium punctatum* (L.) Copel. 94
 57 *Phlebodium aureum* (L.) Sm. 94
 58 *Platynerium bifurcatum* (Cav.) C. Chr. 94
 59 *Polypodium azoricum* (Vasc.) R. Fern. 94
 60 * — *cambricum* L. subsp. *cambricum* 94
 61 * — *interjectum* Shivas 94
 62 *Pyrrosia lingua* (Thunb.) Farw. 94

PTERIDACEAE

- 63 *Pteris cretica* L. var. *cretica* 94
 64 — — var. *albolineata* Hook. 94
 65 — — var. *wilsonii* Hort. 94
 66 — *incompleta* Cav. 94
 67 — *longifolia* L. 94

SELAGINELLACEAE

- 68 * *Selaginella denticulata* (L.) Spring 94

SCHIZAEACEAE

- 69 *Anemia phyllitidis* (L.) Sw. 94
 70 *Lygodium scandens* (L.) Sw. 94

SINOPTERIDACEAE

- 3 * *Cheilanthes acrostica* (Balb.) Tod. 96
 4 * — *hispanica* Mett. 96
 5 * — *maderensis* Lowe 94
 1640 * — *tinaei* Tod. 97
 7 *Pellaea rotundifolia* (G. Forst.) Hook. 94
 8 — *viridis* (Forssk.) Prantl var. *viridis* 94

THELYPTERIDACEAE

- 71 *Christella parasitica* (L.) Lév. 94

GYMNOSPERMAE

CUPRESSACEAE

- 75 *Callitris rhomboidea* R. Br. 94
 76 *Chamaecyparis lawsoniana* (A. Murray) Parl. 94
 77 *Cupressus arizonica* Greene 94
 78 — *lusitanica* Mill. var. *lusitanica* 94
 79 — — var. *pendula* Hort. 94

- 80 — macrocarpa Hartw. var. macrocarpa 97
 81 — sempervirens var. sempervirens 94
 1643 * Juniperus phoenicea L. 96
 82 Platycladus orientalis (L.) Franco 97
 83 Tetraclinis articulata (Vahl) Mast. 94

PINACEAE

- 84 * Pinus pinaster Aiton 94
 85 * — pinea L. 97
 1644 — sylvestris L. 97
 86 — uncinata Ramond ex DC. 97

TAXODIACEAE

- 87 Cryptomeria japonica (L. f.) D. Don 94
 88 Sequoia sempervirens (Lamb.) Endl. 94

ANGIOSPERMAE

DICOTYLEDONES

ACANTHACEAE

- 89 * Acanthus mollis L. 94
 91 Mackaya bella Harv. 94

ACERACEAE

- 92 Acer campestre L. 94
 1645 — dasycarpum Ehrh. 96
 93 — japonicum Thunb. var. microphyllum Hort. 94
 1646 — monspessulanum L. 95
 94 — negundo L. 94
 96 — palmatum Thunb. fa. roseo-marginatum (C. Koch) Schwer. 94
 97 — platanoides L. 94
 98 — pseudoplatanus L. 94
 99 — — forma purpureum (Loud.) Rehd. 94

ACTINIDIACEAE

- 100 Actinidia chinensis Planch. 94

AIZOACEAE

- 101 Aptenia cordifolia (L. f.) N. E. Br. 94
 102 * Carpobrotus edulis (L.) N. E. Br. 94
 103 * Mesembryanthemum nodiflorum L. 94

- 104 * *Tetragonia tetragonoides* (Pall.) Kuntze 94

AMARANTHIACEAE

- 105 * *Amaranthus albus* L. 94
 106 * — *blitoides* S. Watson var. *scleropoides* Thell. 94
 107 * — *blitum* L. var. *oleraceus* (L.) Hook. f. 94
 1647 — *cruentus* L. 97
 108 * — *deflexus* L. 94
 109 * — *graecizans* L. 94
 110 * — *hybridus* L. 94
 111 * — *powellii* S. Watson 94
 112 *Celosia argentea* L. var. *cristata* (L.) Kuntze 94
 113 *Gomphrena albiflora* Moq. 94
 114 — *globosa* L. 94

ANACARDIACEAE

- 115 *Cotinus coggygria* Scop. 94
 116 * *Pistacia lentiscus* L. 94
 117 * — *terebinthus* L. 94
 118 *Schinus dependens* Ortega 94
 119 — *molle* L. var. *areira* (L.) DC. 94
 120 — *terebinthifolius* Raddi 94

ANNONACEAE

- 1648 *Annona cherimola* Mill. 97

APOCYNACEAE

- 121 *Acokanthera oblongifolia* (Hochst.) Codd 97
 122 *Amsonia illustris* Woodson 94
 124 *Catharanthus roseus* (L.) G. Don var. *albus* G. Don 94
 125 *Mandevilla laxa* (Ruiz & Pav.) Woodson 94
 126 *Nerium oleander* L. var. *album* Lodd. 94
 127 — — var. *oleander* 94
 128 *Thevetia peruviana* Merr. 97
 129 * *Vinca difformis* Pourr. subsp. *difformis* 94

AQUIFOLIACEAE

- 130 * *Ilex aquifolium* L. 94

ARALIACEAE

- 131 *Fatsia japonica* (Thunb.) Decne. & Planch. 94
 132 *Hedera helix* L. subsp. *canariensis* (Willd.) Cout. 94
 133 *Pseudopanax crassifolius* (Sol. ex A. Cunn.) C. Koch 94

ARISTOLOCHIACEAE

- 134 *Aristolochia fimbriata* Cham. 94
 135 * — *paucinervis* Pomel 96
 136 — *sempervirens* L. 97

ASCLEPIADACEAE

- 137 Araujia sericifera Brot. 94
 138 Asclepias curassavica L. 94
 139 — syriaca L. 94
 140 Gomphocarpus fruticosus (L.) W.T. Aiton 94
 141 * Vincetoxicum nigrum (L.) Moench 94

BALSAMINACEAE

- 142 Impatiens balsamina L. 94
 143 — walleriana Hook.f. 94

BASELLACEAE

- 144 Boussingaultia gracilis Miers var. pseudo-baselloides (Hauman) Bailey 94

BERBERIDACEAE

- 145 Berberis thunbergii DC. 94
 146 — vulgaris L. 94
 1649 Mahonia japonica Thunb. 97

BETULACEAE

- 147 Alnus cordata (Loisel.) Duby 94
 1650 * — glutinosa (L.) Gaertn. 97
 148 — sinuata (Regel) Ryd. 94
 149 Betula alba L. 94
 150 — pendula Roth 94

BIGNONIACEAE

- 151 Campsis radicans (L.) Seem. 94
 152 Catalpa bignonioides Walter 94
 153 — ovata G. Don 94
 154 Doxantha unguis-cati (L.) Rehder 94
 155 Jacaranda mimosifolia D. Don 94
 156 Pithecoctenium muricatum Moç. ex DC. 94

BORAGINACEAE

- 157 * Anchusa azurea Mill. 97
 158 * — undulata L. 96
 159 * Borago officinalis L. 96
 160 * Buglossoides arvensis (L.) I. M. Johnst. 94
 161 * Cerinthe gymnandra Gasp. var. gymnandra 94
 162 * — major L. 94
 163 Cordia serrata Juss. ex Poir. 94
 164 * Cynoglossum clandestinum Desf. 94
 165 * — creticum Mill. 94
 166 * Echium lusitanicum L. subsp. lusitanicum 97
 167 * — plantagineum L. 94
 168 * — rosulatum Lange 94
 169 * — tuberculatum Hoffmanns. & Link 94

- 170 *Heliotropium amplexicaule* Vahl 94
 171 * — *europaeum* L. 94
 172 — *peruvianum* L. 94
 173 *Lithospermum officinale* L. 94
 174 * *Myosotis arvensis* (L.) Hill subsp. *arvensis* 94
 175 * — *discolor* Pers. 94
 177 * — *stolonifera* (DC.) Leresche & Levier 97
 178 * — *welwitschii* Boiss. & Reut. 97
 179 * *Neatostema apulum* (L.) I. M. Johnst. 94
 180 *Nonealutea* (Desr.) DC. 94
 181 *Omphalodes linifolia* (L.) Moench 94
 182 * — *nitida* Hoffmanns. & Link 97
 183 * *Pentaglottis sempervirens* (L.) Tausch ex L. H. Bailey 94

BUXACEAE

- 184 *Sarcococca hookeriana* Baill. 94

CACTACEAE

- 185 * *Opuntia maxima* Mill. 94

CALLITRICHACEAE

- 186 * *Callitriche brutia* Petagna 94
 187 * — *truncata* Guss. 94

CALYCANTHACEAE

- 188 *Calycanthus laevigatus* Willd. 94

CAMPANULACEAE

- 189 * *Campanula erinus* L. 94
 191 * — *lusitanica* L. 94
 193 * — *rapunculus* L. 97
 1651 * — *transtagana* R. Fernandes 96
 194 * *Jasione crispa* (Pourr.) Samp. subsp. *mariana* (Willk.) Rivas Mart. 97
 195 * — *montana* L. subsp. *montana* 94
 196 * *Legousia hybrida* (L.) Delarbre 94
 198 * *Lobelia urens* L. 94
 199 * *Trachelium caeruleum* L. subsp. *caeruleum* 94
 200 * *Wahlenbergia hederacea* (L.) Rchb. 94

CANNABACEAE

- 201 * *Humulus lupulus* L. 97

CAPPARACEAE

- 202 * *Cleome violacea* L. 94
 203 *Isomeris arborea* Nutt. 94

CAPRIFOLIACEAE

- 204 Kolkwitzia amabilis Graebn. 94
 205 * *Lonicera etrusca* Santi 94
 206 * — *implexa* Aiton 94
 207 — *japonica* Thunb. var. *aureo-reticulata* (T. Moore) Nichols 94
 208 — *maackii* (Rupr.) Maxim. 94
 209 * — *periclymenum* L. subsp. *periclymenum* 94
 210 — *tatarica* L. 94
 211 — *translucens* Carrière 94
 212 * *Sambucus ebulus* L. 94
 213 * — *nigra* L. 94
 214 *Viburnum odoratissimum* Ker Gawl. 94
 215 * — *tinus* L. subsp. *tinus* 94

CARICACEAE

- 216 *Carica quercifolia* Solms 94

CARYOPHYLLACEAE

- 1652 * *Agrostemma githago* L. 97
 217 * *Arenaria conimbricensis* Brot. 94
 218 * — *leptoclados* (Reichb.) Guss. 94
 219 * — *montana* L. subsp. *montana* 97
 220 * — *querioides* Pourr. ex Willk. 97
 221 * — *serpyllifolia* L. 94
 222 * *Cerastium diffusum* Pers. 94
 223 * — *fontanum* Baumg. subsp. *vulgare* (Hartm.) Greuter & Burdet 94
 224 * — *glomeratum* Thuill. 94
 1653 * — *ramosissimum* Boiss. 97
 225 * *Chaetonychia cymosa* (L.) Sweet 94
 226 * *Corrigiola litoralis* L. subsp. *litoralis* 94
 227 * — *telephiifolia* Pourr. 97
 228 * *Cucubalus baccifer* L. 94
 229 *Dianthus barbatus* L. subsp. *barbatus* 94
 230 * — *lusitanicus* Brot. 97
 231 * *Hemiaria ciliolata* Melderis subsp. *robusta* Chaudhri 94
 232 * — *glabra* L. var. *subciliata* Bab. 94
 233 * — *hirsuta* L. 94
 1654 * — *scabrida* subsp. *scabrida* Boiss. 97
 234 * *Illecebrum verticillatum* L. 94
 235 *Lychnis coronaria* (L.) Desr. 97
 236 * — *flos-cuculi* L. 94
 237 * *Minuartia hybrida* ssp. *hybrida* (Vill.) Schischkin 94
 238 * — *recurva* (All.) Schinz & Thell. subsp. *recurva* 97
 239 * *Moenchia erecta* (L.) P. Gaertn., B. Mey. & Scherb. 94
 240 * *Moehringia pentandra* Gay 94
 241 * *Myosoton aquaticum* (L.) Moench 97
 1655 * *Ortega hispanica* L. 97
 242 * *Paronychia argentea* Lam. var. *argentea* 94
 243 * — *echinulata* Chater var. *echinulata* 94
 244 * — *polygonifolia* (Vill.) DC. var. *velucensis* Boiss. 97
 245 * *Petrorhagia nanteuillii* (Burnat) P. W. Ball & Heywood 94
 246 * *Polycarpon alsinifolium* (Biv.) DC. 94

- 247 * — tetraphyllum (L.) L. subsp. tetraphyllum 94
 248 * *Sagina* apetala Ard. 97
 1656 * — mariitima G. Don 96
 249 * — procumbens L. 97
 250 * — saginoides (L.) Karsten 97
 1657 * — subulata (SW.) C. Presl 97
 251 * *Saponaria* officinalis L. 94
 252 * *Scleranthus* annuus L. 94
 253 * *Silene* acutifolia Link ex Rohrb. 97
 254 * — ciliata Pourr. 97
 255 * — disticha Willd. 94
 256 * — foetida Link 94
 257 * — fuscata Link ex Brot. 94
 258 * — gallica L. 94
 259 * — inaperta L. subsp. inaperta 94
 260 * — laeta (Aiton) Godr. 94
 261 * — latifolia Poir. 97
 262 * — littorea Brot. 94
 263 * — longicilia (Brot.) Oth 94
 1658 * — marizzii Samp. 97
 264 * — micropetala Lag. 94
 265 * — nicaeensis All. 94
 266 * — nocturna L. 94
 267 * — nutans L. ssp. nutans 94
 268 * — pendula L. 94
 269 * — portensis L. subsp. portensis 97
 270 * — rubella L. subsp. rubella 94
 271 * — scabriflora Brot. subsp. scabriflora 94
 272 * — vulgaris (Moench) Garcke subsp. vulgaris 94
 273 * *Spergula* arvensis L. 94
 274 * — morisonii Boreau 94
 1659 * *Spergularia* australis (Samp.) Prain. 96
 275 * — bocconnei (Scheele) Graebn. 94
 276 * — capillacea (Kindb.) Willk. 94
 277 * — marina (L.) Besser 94
 278 * — media (L.) C. Presl 94
 279 * — purpurea (Pers.) G. Don 97
 280 * *Stellaria* alsine Grimm 94
 281 * — holostea L. 94
 282 * — media (L.) Vill. 94

CASUARINACEAE

- 283 *Casuarina* equisetifolia L. 94

CELASTRACEAE

- 284 *Euonymus* japonicus L. f. 94

CHENOPODIACEAE

- 1660 * *Arthrocnemum* macrostachyum (Maric.) Mores 96
 285 * *Atriplex* patula L. 94
 1661 * — prostrata Boucher ex DC. 96
 286 * *Beta* maritima L. 94

- 287 * — vulgaris L. 97
 288 * Chenopodium album L. var. album 94
 289 * — ambrosioides L. 94
 1662 * — botrys L. 97
 290 * — murale L. 94
 291 * — opulifolium Schrad. ex Koch & Ziz 94
 292 * — polyspermum L. 94
 293 * — vulvaria L. 94
 1663 * Halimone portulacoides (L.) Aellen 96
 1664 * Salicornia ramosissima Woods 96
 1665 * Salsola kali L. 96
 1666 * Sarcocornia perennis (Mill.) A. J. Scott. subsp. alpini (Lag.) Castrov. 96
 1667 * — perennis (Mill.) A. J. Scott. subsp. perennis (Lag.) Castrov. 96
 1668 * Suaeda albenscens Lázaro Ibiza 96
 1669 * — splendens (Pourr.) Gaen & Godr. 96

CISTACEAE

- 294 * Cistus albidus L. 97
 295 * — crispus L. 94
 296 * — incanus L. 97
 1670 * — laurifolius L. 96
 298 * — monspeliensis L. 94
 299 * — populifolius L. subsp. populifolius 94
 300 * — psilosepalus Sweet 94
 301 * — salviifolius L. 94
 302 * Fumana ericifolia Wallr. & Godr. 94
 303 * — thymifolia (L.) Spach ex Webb 94
 304 * Halimium calycinum (L.) K. Koch 94
 305 * — halimifolium (L.) Willk. subsp. multiflorum (Salzm. ex Dunal) Maire 94
 1671 * — lasianthum subsp. alyssoides (Lam.) Greuter 97
 306 * — lasianthum (Lam.) Spach subsp. lasianthum 94
 307 * — ocymoides (Lam.) Willk. 94
 308 * — umbellatum (L.) Spach subsp. umbellatum 97
 1672 * — — subsp. viscosum (Willk.) Bolós & Wogo 97
 309 * Helianthemum ledifolium (L.) Mill. 94
 310 * — nummularium (L.) Mill. 94
 311 * Xolantha guttata (L.) Raf. 94
 312 * — tuberaria (L.) Gallego 94

CNEORACEAE

- 313 Cneorum tricoccum L. 94

COMBRETACEAE

- 1673 Terminalia australis Camb. 97

COMPOSITAE

- 314 * Achillea ageratum L. 94
 1674 * — milaeifolium L. 97
 315 * Aetheorhiza bulbosa (L.) Cass. 94
 392 Ageratina adenophora (Spreng.) R. King & H. Robinson 94

- 395 — viburnoides (DC.) R. King & H. Robinson 94
 316 Ageratum houstonianum Miller 94
 317 * Anacyclus radiatus Loisel. 94
 318 * Andryala arenaria (DC.) Boiss. & Reut. 94
 319 * — integrifolia L. 94
 1675 * — laxiflora DC. 96
 320 * Anthemis arvensis L. 94
 1676 * — canescens Brot. 97
 321 * — cotula L. 94
 322 * Arctium minus (Hill) Bernh. 94
 323 * Arctotheca calendula (L.) Levyns 94
 324 * Amoseris minima (L.) Schweigg. & Körte 97
 1677 * Artemisia campestris L. 96
 325 Aster rotundifolius Thunb. 94
 326 * — squamatus (Spreng.) Hieron. 94
 327 * — tripolium L. subsp. pannonicus (Jacq.) Soó 94
 328 * Atractylis cancellata L. 94
 393 Bartlettina sordida (Less.) R. King & H. Robinson 94
 329 * Bellis perennis L. 94
 330 * — sylvestris Cirillo var. sylvestris 94
 331 Berkheya radula (Harv.) Burt-Davy 94
 332 * Bidens frondosa L. 94
 333 * Calendula arvensis L. 94
 334 — officinalis L. 94
 335 * — suffruticosa Vahl subsp. algarbiensis (Boiss.) Nyman 94
 336 * — — subsp. lusitanica (Boiss.) Ohle 94
 337 Callistephus chinensis (L.) Nees 94
 338 * Carduncellus caeruleus (L.) C. Presl subsp. caeruleus 94
 339 * Carduus carpetanus Boiss. & Reut. 97
 340 * — lusitanicus Rouy 94
 341 * — platypus Lange 97
 342 * — tenuiflorus Curtis 94
 343 * Carlina corymbosa L. 94
 344 * — racemosa L. 94
 345 * Carthamus lanatus L. subsp. lanatus 94
 346 * Catananche caerulea L. 94
 347 * Centaurea africana Lam. 97
 1678 * — aristata subsp. aristata Hoffmanns. & Link 97
 348 * — calcitrapa L. 94
 1679 * — coutinhoi Franco 96
 349 * — limbata Hoffmanns. & Link 94
 350 * — melanosticta (Lange) Franco 94
 351 * — melitensis L. 94
 1680 * — ornata subsp. ornata Willd. 97
 352 * — pullata L. subsp. pullata 94
 353 * — rivularis (Brot.) Cout. 94
 354 * — sempervirens L. 94
 355 * — sphaerocephala L. subsp. lusitanica (Boiss. & Reut.) Nyman 94
 356 * — — subsp. sphaerocephala 94
 357 * — uliginosa Brot. 94
 1681 * Chamaeleon gummifer (L.) Cass. 97
 358 * Chamaemelum fuscum (Brot.) Vasc. 94
 359 * — mixtum (L.) All. 94
 360 * — nobile (L.) All. 94
 361 * Chondrilla juncea L. 97

- 362 * *Chrysanthemum coronarium* L. 94
 363 — *nivellei* Braun-Blanq. & Maire 94
 364 * — *segetum* L. 94
 365 * *Cichorium intybus* L. 94
 366 *Cineraria hybrida* Hort. 94
 367 * *Cirsium filipendulum* Lange 94
 368 * — *palustre* (L.) Scop. 94
 369 * — *vulgare* (Savi) Ten. 94
 370 * — *welwitschii* Coss. 94
 1682 * *Cnicus benedictus* L. 96
 371 — *scabrum* (Poir.) Bonnet & Barratte 94
 372 * *Coleostephus myconis* (L.) Rchb. f. 94
 373 * *Conyza albida* Willd. ex Spreng. 94
 374 * — *bonariensis* (L.) Cronq. 94
 375 * — *canadensis* (L.) Cronq. 94
 376 *Coreopsis grandiflora* Hogg. 94
 377 * *Cotula australis* (Sieber ex Spreng.) Hook. f. 94
 378 * — *coronopifolia* L. 94
 379 * *Crepis capillaris* (L.) Wallr. 94
 380 * — *foetida* L. 94
 381 * — *lampsanoides* (Gouan) Tausch 97
 382 — *rubra* L. 94
 383 * — *vesicaria* L. subsp. *haenseleri* (Boiss. ex DC.) P. D. Sell 94
 384 * *Crupina vulgaris* Pers. ex Cass. 97
 385 * *Cynara humilis* L. 97
 386 * *Diutrichia graveolens* (L.) Greuter 94
 387 * — *viscosa* (L.) Greuter 94
 388 * *Echinops strigosa* (Salm-Dyck) Friedrich & G. Rowley 94
 389 * *Eclipta prostrata* (L.) L. 94
 390 * *Erigeron acer* L. 94
 391 * — *karvinskianus* DC. 94
 394 * *Eupatorium cannabinum* L. subsp. *cannabinum* 94
 396 * *Evax pygmaea* (L.) Brot. subsp. *pygmaea* 94
 397 * *Filaginella uliginosa* (L.) Opiz subsp. *uliginosa* 94
 398 * *Filago pyramidata* L. 94
 399 *Gaillardia pulchella* Foug. 94
 400 * *Galactites tomentosa* Moench 94
 401 *Galinsoga ciliata* (Raf.) S. F. Blake 94
 402 * — *parviflora* Cav. 94
 403 * *Gamochaeta purpurea* (L.) Cabrera 94
 404 * *Gnaphalium luteo-album* L. 94
 405 *Grindelia camporum* Greene 94
 406 — *robusta* Nutt. 94
 407 — *squarrosa* (Pursh) Dunal 94
 408 * *Gymnostyles stolonifera* (Brot.) Tutin 94
 409 * *Hedypnois cretica* (L.) Dum. Cours. 94
 410 *Helenium autumnale* L. 94
 411 — *mexicanum* Kunth 94
 412 — *puberulum* DC. 94
 1683 *Helichrysum petiolare* Hilliard & Burt. 96
 413 * — *picardii* Boiss. & Reut. 94
 1684 * — *stoechas* (L.) Moench 96
 414 *Heliopsis helianthoides* (L.) Sweet subsp. *scabra* (Dunal) Fisch. 94
 1685 * *Hieracium castellanum* Boiss. et Reuter 97
 415 * — *dumosum* Jord. 94

- 416 — pilosella L. 94
 417 * — schmidtii Tausch 97
 418 * Hispidella hispanica Lam. 94
 419 * Hypochaeris glabra L. 94
 420 * — radicata L. 94
 421 * Inula conyza DC. 94
 422 * — crithmoides L. 94
 423 * Klasea bactica L. subsp. lusitanica (Canto) Canto & Rivas Mart. 94
 424 * Lactuca saligna L. 94
 425 * — serriola L. 94
 426 * — viminea (L.) F. W. Schmidt 97
 427 * — virosa L. 94
 428 * Lapsana communis L. 94
 429 Lasiospermum radiatum Trevir. 94
 430 * Leontodon hispidus L. 97
 431 * — longirostris (Finch & P. D. Sell) Talavera 94
 432 * — pyrenaicum Gouan ssp. cantabricus (Widder) Finch & P.D. Sell 94
 433 * — taraxacoides (Vill.) Méral 94
 434 * — tuberosus L. 94
 435 * Lepidophorum repandum (L.) DC. 94
 436 * Leucanthemum sylvaticum (Hoffmanns. & Link) Nyman 94
 1770 * Leucanthenopsis flaveola (Hoffmanns. & Link) Heywood 97
 438 * Logfia gallica (L.) Coss. & Germ. 97
 439 * — minima (Sm.) Dumort. 97
 440 * Mantisalca salmantica (L.) Briq. & Cavill. 94
 441 * Matricaria maritima L. ssp. maritima 94
 1686 * Onopordium acanthium L. 97
 442 * Otanthus maritimus (L.) Hoffmanns. & Link 94
 443 * Pallenis spinosa (L.) Cass. 94
 444 Phagnalon calycinum (Cav.) DC. subsp. spathularum (Lindb.) Maire 94
 445 * — rupestre (L.) DC. 94
 446 * — saxatile (L.) Cass. 94
 447 * Phalacrocarpum oppositifolium (Brot.) Willk. 97
 448 * Picris comosa (Boiss.) B.D.Jacks. subsp. lusitanica (Schlts.) Talavera 94
 449 * — echioides L. 94
 450 * — hieracioides L. 94
 451 Polymnia uvedalia L. 94
 452 * Pulicaria dysenterica (L.) Bernh. 94
 1687 * — odora (L.) Rchb. 96
 453 * — paludosa Link 94
 454 * Reichardia gaditana (Willk.) Samp. 94
 455 * — intermedia (Sch. Bip.) Samp. 94
 456 * — picroides (L.) Roth 94
 457 * Rhagadiolus edulis Gaertn. 94
 458 * — stellatus (L.) Gaertn. 94
 459 Scolymus grandiflorus Desf. 94
 460 * — hispanicus L. 94
 461 * — maculatus L. 94
 462 * Scorzonera humilis L. 94
 463 * — laciniata L. 94
 464 Senecio bicolor (Willd.) Tod. subsp. cineraria (DC.) Chater 94
 465 * — doricum (L.) L. 94
 466 * — gallicus Chaix 94
 467 * — gallicus Chaix ssp. difficilis DC. 94
 468 * — jacobaea L. 94

- 469 * — *lividus* L. 94
 470 — *longifolius* L. 94
 471 — *mikanoides* Otto ex Walp. 94
 472 * — *pyrenaicus* L. 97
 473 * — *sylvaticus* L. 94
 474 * — *vulgaris* L. 94
 476 *Silphium perfoliatum* L. 94
 477 * *Silybum marianum* (L.) Gaertn. 94
 478 * *Solidago virgaurea* L. 97
 479 * *Soliva pterosperma* (Juss.) Less. 94
 480 * *Sonchus asper* (L.) Hill subsp. *glaucescens* (Jord.) Ball 94
 481 * — *maritimus* L. subsp. *maritimus* 94
 482 * — *oleraceus* L. 94
 483 * *Stachelina dubia* L. 94
 484 *Stevia lanceolata* Lag. 94
 485 — *paniculata* Lag. 94
 486 *Tagetes lucida* Cav. 97
 487 * *Tanacetum corymbosum* (L.) Sch. Bip. 94
 489 — *parthenium* (L.) Sch. Bip. 97
 490 — *vulgare* L. 94
 491 * *Taraxacum officinale* Weber 94
 492 * *Tolpis barbata* (L.) Gaertn. 94
 493 * — *umbellata* Bertol. 94
 494 * *Tragopogon hybridus* L. 94
 495 *Urospermum dalechampii* (L.) F. W. Schmidt 94
 496 * — *picroides* (L.) F. W. Schmidt 94
 1688 * *Xanthium albidum* (Widder) H. Scholz 97
 497 *Xeranthemum cylindraceum* Sibth. & Sm. 94

CONVOLVULACEAE

- 498 * *Calystegia sepium* (L.) R. Br. 94
 499 * — *soldanella* (L.) R. Br. 94
 501 * *Convolvulus arvensis* L. 94
 502 * *Cuscuta australis* R. Br. subsp. *tinei* (Inzenga) Feinbrun 94
 503 * — *epithymum* (L.) L. subsp. *kotschy* (Des Moul.) Arcang. 97
 504 *Ipomaea lobata* (Cerv.) Thell. 94

CORIARIACEAE

- 505 *Coriaria nepalensis* Wall. 94

CORNACEAE

- 506 *Aucuba japonica* Thunb. 94
 507 *Cornus capitata* Wall. 94
 508 — *mas* L. 97
 509 * — *sanguinea* L. subsp. *sanguinea* 94

CRASSULACEAE

- 510 *Aichryson laxum* (Haw.) Branwell 94
 511 *Crassula tetragona* L. 94
 512 * — *tillaea* Lest.-Garl. 94
 1690 *Hylotelephium telephium* (L.) H. Ohba 96

- 513 Kalanchoe blossfeldiana Poellnitz 97
 514 — velutina Britten subsp. velutina 97
 516 Sedum acre L. 94
 517 * — album L. 94
 1691 * — amplexicaule DC. 97
 518 * — arenarium Brot. 94
 519 * — brevifolium DC. 94
 520 * — hirsutum All. 94
 515 * — mucizonia (Ortega) Raym-Hamet 94
 1689 * — pedicellatum Boiss. & Reut. subsp. lusitanicum (Willk. ex Mariz) M. Laínz 97
 521 * — rubens L. 94
 522 * — sediforme (Jacq.) Pau 94
 523 * Umbilicus rupestris (Salisb.) Dandy 94

CRUCIFERAE

- 1692 * Alyssum serpyllifolium Desf. 97
 524 * Arabidopsis thaliana (L.) Heynh. 94
 525 * Arabis planisiliqua (Pers.) Rchb. 94
 526 * — stenocarpa Boiss. & Reut. 94
 527 Barbarea verna (Mill.) Asch. 94
 528 * — vulgaris R. Br. 94
 1693 * Biscutela auriculata L. 96
 529 * — valentina Heywood subsp. valentina var. valentina 94
 530 * Brassica barrelieri (L.) Janka 94
 531 * — oxyrrhina Coss. 94
 1694 * Bunias erucago L. 97
 532 * Cakile maritima Scop. subsp. integrifolia (Hornem.) Greuter & Burdet 94
 533 * Capsella bursa-pastoris (L.) Medik. 94
 534 * Cardamine hirsuta L. 94
 535 * Coincya monensis (L.) Greuter & Burdet subsp. cheiranthos (Vill.) Aedo, Leadley & Muñoz Garm. var. cheiranthos 94
 536 * — — subsp. — var. recurvata (All.) Leadley 94
 537 * Coronopus didymus (L.) Sm. 94
 538 * — squamatus (Forssk.) Asch. 94
 539 * Diplotaxis catholica (L.) DC. 94
 1695 * Erysimum merxmulieri Polatschek 97
 1696 * — lagascae Rivas Goday & Bellot 96
 1697 * — linifolium (Pourr. ex Pers) J. Gay 96
 542 * Hirschfeldia incana (L.) Lagr.-Foss. subsp. incana 94
 543 Iberis amara L. 94
 544 * — procumbens Lange subsp. microcarpa Franco & P. Silva 94
 546 Isatis tinctoria L. 94
 547 * Lepidium heterophyllum Benth. 94
 548 * — latifolium L. 94
 549 * — virginicum L. 94
 551 * Malcolmia ramosissima (Desf.) Thell. 94
 552 * Mathiola sinuata (L.) R. Br. 94
 1698 Moricandia arvensis (L.) DC. 97
 553 * Murbeckiella boryi (Boiss.) Rothm. 97
 554 * — sousae Rothm. 94
 555 * Raphanus raphanistrum L. subsp. raphanistrum 94
 556 * — sativus L. 94
 557 * Rapistrum rugosum (L.) All. subsp. linnaeanum Rouy & Fouc. 94
 558 * — — subsp. rugosum 94
- petals
for branches
on tree

- 559 * *Rorippa amphibia* (L.) Besser 94
 1699 * — *nasturtium-aquaticum* (L.) Hayek 96
 1700 * — *sylvestris* subsp. *sylvestris* (L.) Besser 96
 560 * *Sinapis alba* L. subsp. *alba* 94
 561 * — *arvensis* L. 94
 562 * *Sisymbrella aspera* (L.) Spach subsp. *aspera* 94
 1701 * *Sisymbrium altissima* L. 96
 563 * — *officinale* (L.) Scop. 94
 564 * *Teesdalia coronopifolia* (J. P. Bergeret) Thell. 97
 567 * *Thlaspi perfoliatum* L. 94

CUCURBITACEAE

- 568 * *Bryonia dioica* Jacq. 94
 569 * *Ecballium elaterium* (L.) A. Rich. subsp. *elaterium* 97

DIPSACACEAE

- 570 * *Dipsacus comosus* Hoffmanns. & Link 94
 571 * — *fullonum* L. 94
 1702 * *Knautia nevadensis* (Winkler) Szabó 96
 572 * *Pterocephalus diandrus* (Lag.) Lag. 94
 573 * — *intermedius* (Lag.) Cout. 94
 574 * *Scabiosa atropurpurea* L. 94
 575 * — *cretica* L. 94
 576 * — *gramuntica* L. var. *calpicola* R. Fern. 94
 577 * *Succisapratensis* Moench 94
 578 * *Succisella inflexa* (Kluk) Beck 94

DROSERACEAE

- 579 * *Drosera intermedia* Hayne 94
 580 * — *rotundifolia* L. 94
 581 * *Drosophyllum lusitanicum* (L.) Link 94

EBENACEAE

- 582 *Diospyros lotus* L. 94

ELAEAGNACEAE

- 583 *Elaeagnus multiflora* Thunb. 97

EMPETRACEAE

- 584 * *Corema album* (L.) D. Don 94

ERICACEAE

- 585 * *Arbutus unedo* L. 94
 586 * *Erica arborea* L. 94
 587 * — *australis* L. 94
 588 * — *ciliaris* L. 94
 589 * — *cinerea* L. 94
 1703 * — *erigena* R. Ross. 97

- 590 * — lusitanica Rudolphi 94
 592 * — umbellata L. 94
 593 Rhododendron micranthum Turcz. 94
 594 — ponticum L. 94

GROSSULARIACEAE

- 595 Escallonia montevidensis (Cham. & Schlecht.) DC. 94

EUPHORBIACEAE

- 1704 Acalypha rhomboidea Ray 96
 604 * Chamaesyce maculata (Aiton) Small 94
 605 * — nutans (Lag.) Small 94
 607 * — peplis (L.) Prokh. 94
 609 * — prostrata (Aiton) Small 94
 597 * Euphorbia amygdaloides L. subsp. amygdaloides 94
 1705 * — baetica Bss. 96
 598 — ceratocarpa Ten. 94
 599 * — characias L. subsp. characias 94
 600 * — dulcis L. 94
 601 * — exigua L. 94
 602 * — falcata L. subsp. falcata 94
 603 * — hirsuta L. 94
 606 * — paralias L. 94
 608 * — peplus L. var. peplus 94
 610 * — pterococca Brot. 94
 611 * — segetalis L. var. segetalis 94
 613 Manihot palmata Müll. Arg. 94
 614 * Mercurialis ambigua L. fil. 94

FAGACEAE

- 615 Fagus sylvatica L. 94
 616 ** Quercus coccifera L. 97
 617 ** — faginea Lam. subsp. broteroi (Cout.) A. Camus 97
 619 ** — lusitanica Lam. 97
 620 ** — robur L. 97
 621 ** — suber L. 97

FRANKENIACEAE

- 622 * Frankenia laevis L. 94

GENTIANACEAE

- 623 * Blackstonia perfoliata (L.) Huds. subsp. imperfoliata (L. f.) Franco & Rocha Afonso 94
 624 * — — subsp. perfoliata 97
 625 * Centaurium erythraea Raf. subsp. majus (Hoffmanns. & Link) Melderis 94
 626 * — maritimum (L.) Fritsch 97
 627 * — tenuiflorum (Hoffmanns. & Link) Fritsch subsp. tenuiflorum 94

GERANIACEAE

- 631 * Erodium botrys (Cav.) Bertol. 97

- 632 * — cicutarium (L.) L'Hér. subsp. cicutarium 94
 633 * — malacoides (L.) L'Hér. 94
 634 * — moschatum (L.) L'Hér. 94
 636 * Geranium columbinum L. 94
 637 * — dissectum L. 97
 638 * — lucidum L. 97
 639 * — molle L. 94
 640 * — purpureum Vill. 94
 641 * — pyrenaicum Burm. f. 94
 642 * — robertianum L. 94
 643 * — rotundifolium L. 94
 644 Pelargonium zonale (L.) L'Hér. 94

GESNERIACEAE

- 647 Streptocarpus rexii (Hook.) Lindl. 94

GUNNERACEAE

- 648 Gunnera chilensis Lam. 97

GUTTIFERAE

- 649 * Hypericum androsaemum L. 94
 650 — canariense L. 94
 651 * — elodes L. 94
 652 * — humifusum L. 94
 653 * — liniifolium Vahl 94
 654 * — perforatum L. 94
 655 * — pulchrum L. 94
 656 * — tomentosum L. 94
 657 * — undulatum Willd. 97

HALORAGACEAE

- 658 Haloragis erecta Eichler. 94

HAMAMELIDACEAE

- 659 Liquidambar styraciflua L. 94

HIPPOCASTANACEAE

- 661 Aesculus hippocastanum L. 94

HYDRANGEACEAE

- 662 Deutzia scabra Thunb. 94
 663 Philadelphus coronarius L. 94
 664 — incanus Kochne 94

LABIATAE

- 1706 * Acinos alpinos (L.) Moench 97

- 666 * *Ajuga chamaepitys* (L.) Schreb. 94
- 668 * — *iva* (L.) Schreb. var. *pseudo-iva* (Robill. & Cast. ex DC.) Robill. & Cast. ex Benth. 94
- 669 * — *pyramidalis* L. subsp. *meonantha* (Hoffmanns. & Link) R. Fern. 94
- 670 — *reptans* L. 94
- 671 *Ballota acetabulosa* (L.) Benth. 94
- 672 * — *nigra* L. subsp. *foetida* Hayek 94
- 673 * *Calamintha baetica* Boiss. & Reut. 97
- 674 * *Cleonia lusitanica* (L.) L. 94
- 675 * *Clinopodium vulgare* L. subsp. *arundanum* (Boiss.) Nyman 94
- 676 *Coleus hybridus* Hort. ex Cobeau 94
- 677 * *Lamium amplexicaule* L. 94
- 678 * — *maculatum* L. 94
- 679 * — *purpureum* L. 94
- 680 * *Lavandula latifolia* Medik. 94
- 681 * — *stoechas* L. subsp. *luisieri* (Rozeira) Rozeira 94
- 682 * — — subsp. *sampaiana* Rozeira 94
- 683 *Lepechinia floribunda* (Benth.) Epling. 94
- 684 * *Lycopus europaeus* L. 94
- 685 * *Marrubium vulgare* L. 94
- 686 * *Melissa officinalis* L. subsp. *altissima* (Sibth. & Sm.) Arcang. 94
- 1707 * *Melitis melissophyllum* L. 97
- 687 * *Mentha aquatica* L. var. *broteriana* Cout. 94
- 688 * — *pulegium* L. 94
- 689 * — *suaveolens* Ehrh. 94
- 690 * *Micromeria graeca* (L.) Rchb. subsp. *graeca* 94
- 691 * — *juliana* (L.) Rchb. 94
- 692 * *Nepeta tuberosa* L. 94
- 693 * *Origanum virens* Hoffmanns. & Link 94
- 694 *Phlomis alpina* Pall. 94
- 1708 *Plectranthus hereroensis* Engl. 95
- 697 * *Prunella grandiflora* (L.) Scholler ssp. *pyrenaica* (Guen. & Godron) A. & O. Bolós 96
- 698 * — x *intermedia* Link 94
- 699 * — *vulgaris* L. 94
- 700 * *Rosmarinus officinalis* L. 94
- 701 *Salvia canariensis* L. 94
- 702 * — *sclareoides* Brot. 94
- 703 — *splendens* Sellow ex Roemer & Schult. 94
- 704 * — *verbenaca* L. 94
- 705 * — *viridis* L. 94
- 706 * *Scutellaria galericulata* L. 94
- 707 * *Sideritis hirsuta* L. 94
- 709 * *Stachys arvensis* (L.) L. 94
- 710 * — *germanica* L. subsp. *cordigera* Briq. 94
- 711 * — *ocymastrum* (L.) Briq. 94
- 712 * — *officinalis* (L.) Trev. 94
- 713 * — *palustris* L. 94
- 1709 * — *sylvatica* L. 96
- 714 *Teucrium flavum* L. 94
- 715 * — *polium* L. 94
- 716 * — *salviastrum* Schreb. 97
- 717 * — *scordium* L. subsp. *scordoides* (Schreb.) Maire & Petit. 94
- 718 * — *scorodonia* L. subsp. *scorodonia* 94
- 721 * *Thymus mastichina* L. 97
- 723 * — *zygis* (Hoffmanns. & Link) Cout. 94

LAURACEAE

- 724 ** *Apollonias barbuja* (Cav.) Bomm. 97
 725 ** *Cinnamomum camphora* (L.) Nees & Eberm. 97
 726 ** *Laurus nobilis* L. 97
 727 ** *Persea indica* (L.) Spreng. 97

LEGUMINOSAE

- 728 * *Acacia dealbata* Link 94
 729 — *decurrens* Willd. 94
 730 — *farnesiana* (L.) Willd. 94
 731 — *horrida* (L.) Willd. 94
 732 — *longifolia* (Andrews) Willd. 94
 733 — *melanoxylon* R. Br. 94
 734 — *measii* De Wild. 94
 735 — *retinodes* Schltld. 94
 736 — *saligna* (Labill.) Wendl. 94
 737 — *verticillata* (L'Hér.) Willd. 94
 738 * *Adenocarpus complicatus* (L.) Gay subsp. *complicatus* 94
 740 *Albizzia distachya* (Vent.) J. F. Macbr. 94
 741 — *julibrissin* Durazz. 94
 742 *Amicia zigomeris* DC. 94
 743 *Amorpha fruticosa* L. 94
 744 *Anagyris foetida* L. 94
 745 *Anthyllis barba-jovis* L. 94
 746 * — *gerardii* L. 94
 747 * — *lotoides* L. 94
 748 — *tetraphylla* L. 94
 749 * — *vulneraria* subsp. *lusitanica* (Cullen & P. Silva) Franco 94
 750 * — — subsp. *maura* (Beck.) Maire 94
 752 *Astragalus baeticus* L. 94
 1710 * — *cymbicarpus* Brot. 97
 753 * — *epiglottis* L. subsp. *asperulus* (Dufour) Nyman 94
 754 — *falcatus* Lam. 94
 755 * — *granatensis* Lage. 94
 756 * — *hamosus* L. 94
 757 * — *lusitanicus* Lam. subsp. *lusitanicus* 94
 758 * *Biserrula pelecinus* L. 94
 1711 *Camptosema robicundum* Hook. & Arnott 94
 759 *Caragana microphylla* Lam. 97
 760 *Cassia floribunda* Cav. 94
 761 *Ceratonía siliqua* L. 94
 762 *Cercis siliquastrum* L. 94
 1712 *Colutea arborescens* L. 97
 763 *Coronilla cretica* L. 94
 764 * — *repanda* (Poir.) Guss. 94
 765 * — *scorpioides* (L.) W. D. J. Koch 94
 766 * — *valentina* L. subsp. *glauca* (L.) Batt. 94
 767 *Crotalaria incana* L. 94
 768 * *Cytisus grandiflorus* (Brot.) DC. 97
 769 * — *multiflorus* (L'Hérit. ex Ait.) Sweet. 94
 770 * — *purgans* (L.) Boiss. 97
 1713 * — *scoparius* (L.) Link 96
 771 * — *striatus* (Hill) Rothm. 94

- 772 Desmodium canadense DC. 97
 773 — spicatum Rehder 97
 774 — tiliifolium (D. Don) G. Don 97
 775 Dolichos jacquini DC. 94
 776 * Dorycnium rectum (L.) Ser. 94
 777 * Echinospartum lusitanicum (L.) Rothm. 97
 778 Erythrina crista-galli L. 94
 1714 — senegalensis DC. 97
 779 Galega officinalis L. 94
 781 * Genista berberidea Lange 94
 782 * — cinerea (Vill.) DC. subsp. cinerea 97
 783 * — falcata Brot. 94
 784 * — florida L. 97
 785 * — triacanthus Brot. 94
 786 * — tridentata L. 97
 787 Gleditsia aquatica Marsh. 94
 788 — triacanthos L. 94
 789 Hedysarum coronarium L. 94
 790 * Hippocrepis multisiliquosa L. 94
 793 * Lathyrus angulatus L. 94
 794 * — annuus L. 94
 795 * — aphaca L. 94
 796 * — clymenum L. 94
 797 * — hirsutus L. 94
 798 — odoratus L. 94
 1715 * — sphaericus Retz. 97
 799 * — sylvestris L. 94
 800 — tingitanus L. 94
 801 Leucaena leucocephala (Lam.) de Wit 94
 802 * Lotus angustissimus L. 94
 803 * — creticus L. 94
 804 * — glareosus Boiss. & Reut. 94
 805 * — parviflorus Desf. 94
 806 * — subbiflorus Lag. subsp. castellanus (Boiss. & Reut.) P. W. Ball 94
 807 * — — subsp. subbiflorus 94
 808 * — uliginosus Schkuhr 94
 809 * Lupinus angustifolius L. 94
 1716 * — hispanicus Boiss. & Reut. 96
 1717 * — luteus L. 96
 810 Medicago arabica (L.) Huds. 94
 811 — arborea L. 97
 812 * — doliata Carmign. var. muricata (Benth.) Heyn 94
 813 * — littoralis Loisel. var. littoralis 94
 814 * — lupulina L. var. lupulina 94
 815 * — marina L. 94
 816 * — minima (L.) Bartal. var. recta (Desf.) Burnat 94
 817 * — orbicularis (L.) Bartal. var. orbicularis 94
 818 * — polymorpha L. subsp. polymorpha 94
 820 * Melilotus indica (L.) All. 94
 821 * — italica (L.) Lam. 94
 822 * — messanensis (L.) All. 94
 1718 * — neapolitana ten. 96
 823 * — segetalis (Brot.) Ser. 94
 824 Mimosa acanthocarpa (Willd.) Benth. 94
 826 Nissolia fruticosa Jacq. 97

- 827 *Onobrychis viciifolia* Scop. 94
 828 * *Ononis natrix* L. subsp. *ramosissima* (Desf.) Batt. 94
 829 * — *pusilla* L. 94
 830 * — *reclinata* L. 94
 831 * — *viscosa* L. subsp. *breviflora* (DC.) Nyman var. *breviflora* 94
 832 * *Ornithopus compressus* L. 94
 833 * — *perpusillus* L. 94
 834 * — *pinnatus* (Mill.) Druce 94
 835 *Parkinsonia aculeata* L. 94
 836 * *Psoralea bituminosa* L. 94
 837 *Pueraria lobata* (Willd.) Ohwi 94
 838 *Retama monosperma* (L.) Boiss. 94
 839 — *sphaerocarpa* (L.) Boiss. 94
 840 *Rhynchosia caribaea* (Jacq.) DC. 94
 841 — *phaseloides* DC. 94
 842 *Robinia pseudacacia* L. 94
 843 — *viscosa* Vent. 94
 844 *Schotia latifolia* Jacq. 97
 845 * *Scorpiurus muricatus* L. 94
 846 * — *vermiculatus* L. 94
 847 *Securigera securidaca* (L.) Degen & Dorfl. 94
 848 *Sophora viciifolia* Hance 94
 849 * *Spartium junceum* L. 94
 850 * *Stauracanthus genistoides* (Brot.) Samp. subsp. *genistoides* 94
 851 *Teline monspessulana* (L.) C.Koch 94
 852 *Tipuana tipu* (Benth.) Kuntze 94
 853 * *Trifolium angustifolium* L. 94
 854 * — *arvense* L. 94
 855 * — *bocconeii* Savi 94
 856 * — *campestre* Schreb. 94
 857 * — *cernuum* Brot. 94
 1719 * — *cherleri* L. 96
 858 * — *dubium* Sibth. 94
 859 * — *glomeratum* L. 94
 860 * — *incarnatum* L. subsp. *incarnatum* 94
 861 * — *isthmocarpum* Brot. subsp. *isthmocarpum* 94
 862 * — *lappaceum* L. 94
 863 * — *nigrescens* Viv. subsp. *nigrescens* 94
 1720 * — *ochroleucon* Huds. 97
 864 * — *physodes* M. Bieb. 94
 865 * — *pratense* L. 94
 1721 * — *repens* subsp. *repens* L. 96
 866 * — *resupinatum* L. 94
 867 * — *scabrum* L. 94
 868 * — *squamosum* L. 94
 869 * — *stellatum* L. 94
 870 * — *striatum* L. var. *brevidens* Lange 94
 1722 * — — L. subsp. *spinescens* Lange 96
 1723 * — *strictum* Wk. 96
 871 * — *subterraneum* L. 94
 872 * — *suffocatum* L. 94
 873 * — *tomentosum* L. 94
 1724 * *Trigonella polyceratia* L. 96
 874 * *Ulex europaeus* L. 94
 875 * — *minor* Roth 94

- 876 * — parviflorus Pourr. subsp. parviflorus 94
 877 * Vicia bithynica (L.) L. 94
 878 * — cracca L. subsp. tenuifolia (Roth) Gaudin 94
 879 * — disperma DC. 94
 880 — fava L. 94
 881 * — hirsuta (L.) Gray 94
 882 * — laxiflora Brot. 94
 883 * — lutea L. subsp. lutea 94
 884 * — pubescens (DC.) Link 94
 885 * — sativa L. subsp. nigra (L.) Ehrh. 94
 886 * — — subsp. sativa 94
 887 Wisteria sinensis (Sims) Sweet 94

LINACEAE

- 889 * Linum bienne Mill. 94
 890 * — setaceum Brot. 94
 891 * — strictum L. 94
 892 * — trigynum L. 94
 893 * Radiola linoides Roth 94

LOGANIACEAE

- 894 Chilanthus oleraceus Burch. 94

LYTHRACEAE

- 895 * Ammannia coccinea Rotb. 94
 897 Heimia myrtifolia Cham. & Schltr. 94
 898 Lagerstroemia indica L. 94
 899 * Lythrum junceum Banks & Sol. 94
 900 * — portula (L.) D. A. Webb 94
 901 * — salicaria L. 94

MAGNOLIACEAE

- 902 ** Magnolia grandiflora L. 97
 903 ** — soulangeana Soul.-Bod var. lennei Rehder 97

MALVACEAE

- 1725 Abelmoschus esculentus (L.) Moench 96
 904 Abutilon grandifolium (Willd.) Sweet 94
 1771 Alcea rosea L. 97
 907 * Althaea officinalis L. 94
 908 Callirhoe involucrata A. Gray 94
 909 Hibiscus syriacus L. 94
 1726 — trionum L. 97
 910 Lagunaria patersonii G. Don 94
 911 Lavatera arborea L. 94
 912 * — cretica L. 94
 913 * — olbia L. 94
 914 * — trimestris L. 94
 915 * Malva hispanica L. 94

- 1727 * — parviflora L. 95
 916 * — sylvestris L. 94
 917 * — tournefortiana L. 94
 918 Malvaviscus arboreus Cav. 94
 919 Pavonia hastata Cav. 94
 920 — spinifex (L.) Cav. 94
 921 Sida rhombifolia L. 94

MELASTOMATACEAE

- 922 Clidemia hirta (L.) D. Don 94

MELIACEAE

- 923 Melia azedarach L. 94

MENISPERMACEAE

- 924 Cocculus carolinus (L.) DC. 94
 925 — laurifolius DC. 94

MORACEAE

- 926 Dorstenia contrajerva L. 97
 927 Maclura pomifera (Raf.) C. K. Schneid. 94
 928 Morus nigra L. 94

MYOPORACEAE

- 929 Myoporum tenuifolium G. Forst. 94

MYRICACEAE

- 930 Myrica caroliniensis Mill. 94
 931 * — faya Aiton 94
 932 * — gale L. 94

MYRSINACEAE

- 933 Ardisia crenata Sims 97
 934 — humilis Vahl 97

MYRTACEAE

- 935 Callistemon phoeniceus Lindl. 94
 936 — rigidus R. Br. 94
 937 Eucalyptus citriodora Hook. 97
 938 — cornuta Labill. 94
 1728 — gomphocephala DC. 94
 939 — maculata Hook. 94
 940 — obliqua L'Hér. 94
 1729 — punctata DC. 95
 941 — viminalis Labill. subsp. viminalis 97
 942 Eugenia uniflora DC. 97
 943 Feijoa sellowiana Berg. 94
 944 Kunzea pedunculata F. Muell. 94

- 945 Melaleuca genistifolia Smith 94
 946 — huegellii Endl. 94
 947 * Myrtus communis L. 94
 948 Psidium guajava L. 94
 949 — littorale Raddi var. littorale 94
 950 Tristania conferta R. Br. 94

NYCTAGINACEAE

- 951 Mirabilis jalapa L. 94

NYMPHAEACEAE

- 1730 Victoria amazonica (Poepig) Sowerby 97

OCHNACEAE

- 952 Ochna multiflora DC. 94

OLEACEAE

- 953 Fraxinus americana L. 94
 954 * — angustifolia Vahl subsp. angustifolia 94
 955 — omus L. 94
 956 — pennsylvanica Marsh. 94
 957 * Jasminum fruticans L. 94
 958 Ligustrum lucidum Aiton 94
 959 — vulgare L. 94
 960 Olea chrysophylla Lam. 94
 961 * Phillyrea angustifolia L. 94
 962 * — latifolia L. 94
 963 Syringa vulgaris L. 94

ONAGRACEAE

- 964 * Circaea lutetiana L. subsp. lutetiana 94
 965 Epilobium hirsutum L. 94
 966 * — lanceolatum Sebast. & Mauri 94
 967 * — parviflorum Schreb. 94
 968 * — tetragonum L. subsp. tetragonum 94
 969 Ludwigia palustris (L.) Elliot. 97
 970 * Oenothera glazioviana Micheli 94
 971 * — rosea L.Hér. ex Aiton 94
 972 * — stricta Ledeb. ex Link subsp. stricta 94

OROBANCHACEAE

- 973 * Orobanche gracilis Sm. 94
 974 * — hederac Duby 94
 976 * — sanguinea C. Presl 94

OXALIDACEAE

- 977 Oxalis articulata Savigny 94
 978 * — corniculata L. 94

- 979 * — corymbosa DC. 94
 980 * — pes-caprae L. 94

PAPAVERACEAE

- 982 * Ceratocapnos claviculata (L.) Lidén 97
 983 * Chelidonium majus L. 94
 984 Eschscholzia californica Cham. 94
 985 * Fumaria bastardii Boreau 94
 986 * — capreolata L. 94
 987 * — muralis Koch 94
 988 * — parviflora Lam. 94
 989 * Glaucium flavum Crantz 94
 1731 * Papaver argemone L. 97
 990 * — dubium L. 94
 991 * — hybridum L. 97
 992 * — rhocas L. 94
 1732 * Platycapnos spicata (L.) Bernh. 96

PASSIFLORACEAE

- 1733 Passiflora capsularis L. 97
 993 — edulis Sims 97
 994 — x exoniensis L. H. Bailey 94
 995 — suberosa L. 94

PHYTOLACCACEAE

- 996 * Phytolacca americana L. 94
 997 — dioica L. 94
 998 * — heteropetala H. Walter 94
 999 Rivina humilis L. 97

PITTOSPORACEAE

- 1000 Pittosporum crassifolium Putt. 97
 1001 — heterophyllum Franch. 97
 1002 — tobira (Thunb.) W. T. Aiton 97
 1003 — undulatum Vent. 97
 1004 Sollya fusiformis (Labill.) Briq. 94

PLANTAGINACEAE

- 1005 * Plantago afra L. 94
 1734 — aschersonii Bolle 96
 1006 * — bellardii All. 97
 1007 * — coronopus L. subsp. coronopus 94
 1008 * — lagopus L. subsp. lagopus 94
 1009 * — lanceolata L. 94
 1735 — leriopetala Lowe 95
 1010 * — major L. 94
 1011 * — radicata Hoffmanns. & Link subsp. monticola (Samp.) Franco 97
 1012 — sempervirens Crantz 94
 1013 * — serraria L. 94

PLATANACEAE

- 1014 *Platanus hispanica* Münchh. 94

PLUMBAGINACEAE

- 1015 * *Armeria beirana* Franco 94
 1016 * — *transmontana* (Samp.) Lawr. 97
 1017 * — *welwitschii* Boiss. 94
 1018 * *Limonium binervosum* (G.E.Sm.) C.E. Salmon subsp. *binervosum* 94
 1736 * — *vulgare* Mill. 96

POLEMONIACEAE

- 1019 *Phlox drummondii* Hook. 94
 1020 — *paniculata* L. 94

POLYGALACEAE

- 1021 * *Polygala microphylla* L. 97

POLYGONACEAE

- 1024 * *Emex spinosa* (L.) Campd. 94
 1025 *Fallopia baldschuanica* (Regel) Holub 97
 1026 * — *convolvulus* (L.) A. Löve 94
 1027 * — *dumetorum* (L.) Holub 94
 1028 * *Polygonum aviculare* L. 94
 1029 * — *capitatum* D. Don 94
 1030 * — *equisetiforme* Sm. 94
 1031 * — *hydropiper* L. 94
 1032 * — *lapathifolium* L. 94
 1033 * — *maritimum* L. 94
 1034 * — *persicaria* L. 94
 1035 * — *salicifolium* Brouss. ex Willd. 94
 1036 * *Rumex acetosa* L. subsp. *acetosa* 97
 1037 * — *acetosella* L. subsp. *angiocarpus* (Murb.) Murb. 94
 1038 * — *bucephalophorus* L. subsp. *gallicus* (Steinh.) Rechb. f. 94
 1039 * — *conglomeratus* Murray 94
 1040 * — *crispus* L. 97
 1041 * — *induratus* Boiss. & Reut. 94
 1042 * — *intermedius* DC. 94
 1043 * — *obtusifolius* L. 94
 1737 * — *papillaris* Boiss. & Reuter 97
 1045 * — *pulcher* L. subsp. *woodsii* (De Not.) Archang. 94
 1046 * — *suffruticosus* Willk. 97

PORTULACACEAE

- 1047 *Anacampseros rufescens* (Haw.) Sweet 97
 1048 * *Montia fontana* L. subsp. *amporitana* Sennen 94
 1049 *Portulaca grandiflora* Hook. 97
 1050 * — *oleracea* L. subsp. *granulato* (Poelln.) Danin 94
 1051 *Portulacaria afra* Jacq. 94

PRIMULACEAE

- 1052 * *Anagallis arvensis* L. 94
 1053 * — *monelli* L. 97
 1054 * *Asterolinon linum-stellatum* (L.) Duby 94
 1055 * *Lysimachia vulgaris* L. 94
 1057 * *Primula acaulis* L. subsp. *acaulis* 94
 1056 — *malacoides* Franch. 94
 1058 * *Samolus valerandi* L. 94

PROTEACEAE

- 1059 *Grevillea robusta* A. Cunn. 94

PUNICACEAE

- 1060 *Punica granatum* L. 94

RANUNCULACEAE

- 1061 *Anemone coronaria* L. 94
 1062 — *cylindrica* Gray 97
 1063 * — *palmata* L. 94
 1064 — *virginiana* L. 94
 1065 *Aquilegia atrata* Koch 94
 1066 — *canadensis* L. 94
 1068 * — *vulgaris* L. subsp. *dichroa* (Freyn) P. E. Díaz 94
 1069 * — — subsp. *vulgaris* 94
 1070 * *Clematis campaniflora* Brot. 94
 1738 * — *vitalba* L. 97
 1071 * *Delphinium staphisagria* L. 94
 1072 * *Heleborus foetidus* L. 97
 1073 * *Nigella damascena* L. 94
 1739 * — *gallica* Jord. 96
 1074 * *Ranunculus arvensis* L. 94
 1075 — *asiaticus* L. 94
 1076 * — *bulbosus* L. subsp. *alcae* (Willk.) Rouy & Fouc. var. *adscendens* (Brot.) P. Silva 94
 1077 * — *bullatus* L. 94
 1078 * — *gregarius* Brot. 94
 1079 * — *hederaceus* L. 94
 1080 * — *muricatus* L. 94
 1082 * — *repens* L. 94
 1083 * — *trilobus* Desf. 94
 1084 * *Thalictrum speciosissimum* L. 94

RESEDACEAE

- 1085 * *Reseda gredensis* Cutanda & Willk. 94
 1086 * — *luteola* L. 94
 1740 * — *media* Lag. 96
 1087 * *Sesamoides purpurascens* (L.) G. López 94

RIAMNACEAE

- 1088 * *Frangula alnus* Mill. 94

- 1089 *Hovenia dulcis* Thunb. 94
 1090 *Paliurus spina-christi* Mill. 94
 1091 *Pomaderris apetala* Labill. 94
 1092 * *Rhamnus alaternus* L. 94
 1093 *Ziziphus jujuba* Mill. 94

ROSACEAE

- 1094 * *Agrimonia eupatoria* L. 94
 1095 * *Aphanes arvensis* L. 94
 1096 *Cotoneaster horizontalis* Decne. 94
 1097 — *lactea* W. W. Sm. 94
 1098 *Crataegus crus-galli* L. 94
 1099 * — *monogyna* Jacq. subsp. *brevispina* (Kunze) Franco 94
 1100 *Duchesnea indica* (Andrews) Focke 94
 1101 * *Fragaria vesca* L. 94
 1102 * *Geum sylvaticum* Pourr. 94
 1103 * — *urbanum* L. 94
 1104 * *Potentilla erecta* (L.) Raeusch. 94
 1105 *Prunus laurocerasus* L. 97
 1106 — *lusitanica* L. 97
 1107 * — *spinosa* L. 97
 1108 *Pyracantha angustifolia* (Franch.) C.K. Schneid. 94
 1109 — *crenulata* (Roxb.) Roem. 94
 1110 *Raphiolepis umbellata* (Thunb.) Makino 94
 1111 — — *fa. ovata* (Briot) Schneid. 94
 1112 *Rhodotypos kerrioides* Sieb. & Zucc. 94
 1113 * *Rosa canina* L. 94
 1114 * — *sempervirens* L. 94
 1115 *Rubus idaeus* L. 94
 1116 * *Sanguisorba hybrida* (L.) Nordborg 94
 1117 * — *minor* Scop. subsp. *magnolii* (Spach) Briq. 94
 1118 *Sorbaria sorbifolia* (L.) A. Braun 94
 1119 * *Sorbus aucuparia* L. 94
 1120 *Spiraea japonica* L. f. 94

RUBIACEAE

- 1121 *Coprosma robusta* Raoul 94
 1741 * *Crucianella angustifolia* L. 97
 1122 * — *maritima* L. 94
 1123 * *Cruciata laevipes* Opiz 97
 1124 * *Gallium album* Mill. 94
 1125 * — *aparine* L. 94
 1126 * — *broterianum* Boiss. & Reut. 94
 1127 * — *divaricatum* Lam. 94
 1128 * — *murale* (L.) All. 94
 1129 * — *palustre* L. 94
 1130 * — *rotundifolium* L. 97
 1131 * — *saxatile* L. subsp. *saxatile* 94
 1132 * — *saxatile* L. ssp. *vivianum* (Kliphuis) Ehrend. 97
 1133 * — *setaceum* Lam. 94
 1134 * — *tricomutum* Dandy 94
 1135 * — *verrucosum* Huds. 94
 1136 * *Rubia peregrina* L. 94
 1138 * *Sherardia arvensis* L. 94
 1139 * *Valantia muralis* L. 94

RUTACEAE

- 1742 *Atalantia buxifolia* Oliv. 97
 1140 *Citrus myrtifolia* Raf. 97
 1141 *Coleonema pulchrum* Hook. 94
 1142 *Poncirus trifoliata* (L.) Raf. 97
 1143 * *Ruta chalepensis* L. 94
 1144 * — *montana* (L.) L. 94
 1145 *Zanthoxylum armatum* DC. 94
 1146 — *simulans* Hance 94

SANTALACEAE

- 1147 * *Ozyris alba* L. 97
 1148 * *Thesium humifusum* DC. 97

SAPINDACEAE

- 1149 *Cardiospermum grandiflorum* Sw. fa. *hirsutum* (Willd.) Radlk. 94
 1150 *Dodonaea viscosa* Jacq. 94
 1151 *Koelreuteria paniculata* Laxm. 94

SAURURACEAE

- 1152 *Saururus cernuus* L. 94

SAXIFRAGACEAE

- 1153 *Astilbe japonica* (Merr. & Decne.) A. Gray 94
 1154 * *Saxifraga fragosoi* Sennen 97
 1155 * — *granulata* L. 94
 1156 * — *spathularis* Brot. 94
 1157 * — *stellaris* L. 97

SCROPHULARIACEAE

- 1158 * *Anarrhinum bellidifolium* (L.) Willd. 94
 1743 * *Antirrhinum gramicum* Rothm. subsp. *boissieri* (Rothm.) Valdés 97
 1159 * — *majus* L. subsp. *cirrherum* (Welw. ex Ficalho) Franco 94
 1160 * — — subsp. *linkianum* (Boiss. & Reut.) Rothm. 94
 1161 * — *meonantherum* Hoffmanns. & Link 94
 1162 *Asarina erubescens* Miller 94
 1744 * *Bartsia aspera* (Brot.) Lange 97
 1163 * *Bellardiatrixago* (L.) All. 94
 1164 * *Cymbalaria muralis* P. Gaertn., B. Mey. & Scherb. 94
 1165 * *Digitalis purpurea* L. subsp. *purpurea* 94
 1745 * — *thapsi* L. 97
 1166 * *Gratiola officinalis* L. 94
 1167 *Halleria lucida* L. 97
 1168 *Hebe speciosa* (A. Cunn.) Ckn. & Allan 94
 1169 * *Kickxia cirrhosa* (L.) Fritsch 94
 1170 * — *spuria* (L.) Dumort. subsp. *integrifolia* (Brot.) R. Fern. 97
 1171 * *Linaria amethystea* (Lam.) Hoffmanns. & Link 94
 1172 * — *caesia* (Pers.) Chav. 94
 1173 * — *diffusa* Hoffmanns. & Link 94

- 1174 * — *incarnata* (Vent.) Spreng. 94
- 1175 * — *saxatilis* (L.) Chaz. 97
- 1176 * — *spartea* (L.) Willd. var. *spartea* 94
- 1177 * — *supina* (L.) Chaz. 94
- 1178 * — *triomithophora* (L.) Willd. 94
- 1179 * *Lindernia dubia* (L.) Pennell 94
- 1180 * *Misopates calycinum* Rothm. 94
- 1181 * — *orontium* (L.) Raf. 94
- 1182 * *Odontites tenuifolia* (Pers.) G. Don 94
- 1183 * *Parentucellia latifolia* (L.) Caruel 94
- 1184 * — *viscosa* (L.) Caruel 94
- 1185 *Paulownia tomentosa* (Thunb.) Steud. 94
- 1186 * *Pedicularis sylvatica* L. subsp. *lusitanica* (Hoffmanns. & Link) Cout. 97
- 1187 * *Scrophularia auriculata* L. var. *auriculata* 94
- 1188 * — — var. *glabrata* Lange 94
- 1189 * — *canina* L. subsp. *canina* 94
- 1190 * — *frutescens* L. 94
- 1191 * — *grandiflora* DC. subsp. *grandiflora* 94
- 1192 * — *herminii* Hoffmanns. & Link 97
- 1193 * — *sambucifolia* L. subsp. *sambucifolia* 94
- 1194 * — *schousboei* Lange subsp. *schousboei* 94
- 1195 * — *scorodonia* L. 94
- 1196 * *Sibthorpia europaea* L. 94
- 1197 *Tetranema roseum* (M. Martens & Galeotti) Standl. & Steyerl. 94
- 1198 *Verbascum blattaria* L. 94
- 1199 — *gnaphalodes* Bieb. 94
- 1200 * — *levanticum* I. K. Ferguson 94
- 1201 * — *litigiosum* Samp. 94
- 1202 * — *sinuatum* L. 94
- 1203 * — *thapsus* L. subsp. *thapsus* 94
- 1204 * — *virgatum* Stokes 94
- 1205 * *Veronica acinifolia* L. 94
- 1206 * — *anagallis-aquatica* L. 94
- 1207 * — *arvensis* L. 94
- 1208 * — *hederifolia* L. subsp. *triloba* (Opiz) Čelak. 94
- 1209 * — *micrantha* Hoffmanns. & Link 94
- 1210 * — *officinalis* L. 94
- 1211 * — *peregrina* L. 94
- 1212 * — *persica* Poir. 94
- 1213 * — *polita* Fr. 94

SIMAROUBACEAE

- 1214 * *Ailanthus altissima* (Mill.) Swingle 94

SOLANACEAE

- 1215 *Brunfelsia latifolia* Benth. 97
- 1216 *Cyphomandra betacea* (Cav.) Sendtn. 94
- 1217 * *Datura stramonium* L. 94
- 1218 * *Hyoscyamus albus* L. 94
- 1749 *Nicandra physalodes* (L.) Gaertn. 97
- 1748 * *Nicotiana glauca* Graham 96
- 1747 *Petunia hybrida* Vilm. 94
- 1219 * *Physalis ixocarpa* Brot. ex Hornem. 94

- 1220 * *Solanum dulcamara* L. 94
 1221 — *laciniatum* Aiton 94
 1222 — *mauritianum* Scop. 94
 1223 * — *nigrum* L. 94
 1224 — *pseudocapsicum* L. 94
 1225 — *rantonnetii* Carrière ex Lesc. 94
 1226 * — *sublobatum* Roem. & Schult. 94
 1227 * — *villosum* Mill. 94
 1228 *Streptosolen jamesonii* (Benth.) Miers. 97
 1229 *Withania somnifera* (L.) Dunal 94

STERCULIACEAE

- 1750 *Brachychiton acerifolius* Cunn. ex F. Muell. 96
 1751 — *discolor* F. Muell. 96
 1230 *Firmiana simplex* (L.) W. Wight 94
 1231 *Hermannia denudata* L. f. 94

STYRACACEAE

- 1232 *Styrax officinalis* L. 97

TAMARICACEAE

- 1233 * *Tamarix gallica* L. 94
 1234 — *tetrandra* Bieb. 94

THELIGONACEAE

- 1235 * *Theligonum cynocrambe* L. 94

THYMELAEACEAE

- 1238 * *Thymelaea procumbens* 94

TILIACEAE

- 1239 *Sparmania ricinica* (Eckl. & Zeyh.) Kuntze 94
 1240 *Tilia x euchlora* C. Koch 94
 1241 — *platyphyllos* Scop. 94
 1242 — *tomentosa* Moench 94
 1243 — *x vulgaris* Hayne 94

TROPAEOLACEAE

- 1244 *Tropaeolum majus* L. 94

ULMACEAE

- 1245 *Celtis australis* L. 94
 1246 — *sinensis* Pers. 94
 1247 *Ulmus minor* Mill. 94

UMBELLIFERAE

- 1248 *Aethusa cynapium* L. 94
 1249 * *Ammi majus* L. 94
 1250 * — *visnaga* (L.) Lam. 94
 1251 * *Ammoides pusilla* (Brot.) Breistr. 94
 1252 * *Angelica angelicastrum* (Hoffmanns. & Link) Cout. 97
 1253 * — *sylvestris* L. 94
 1254 * *Anthriscus caucalis* Bieb. 94
 1255 *Apium graveolens* Cham. 94
 1752 * — *nodiflorum* (L.) Lag. 96
 1256 * *Bifora testiculata* (L.) Roth 94
 1257 * *Bupleurum gerardi* All. 94
 1258 * — *lancifolium* Hornem. 94
 1259 * — *rigidum* L. subsp. *paniculatum* (Brot.) H. Wolff 94
 1260 * — *tenuissimum* L. 94
 1261 * *Cachrys trifida* Mill. 94
 1262 * *Carum verticillatum* (L.) Koch 94
 1263 * *Chaerophyllum temulentum* L. 94
 1264 * *Conium maculatum* L. 94
 1265 * *Conopodium capillifolium* (Guss.) Boiss. 94
 1266 * — *majus* (Gouan) Loret subsp. *majus* 97
 1753 * *Crithmum maritimum* L. 96
 1267 * *Daucus carota* L. subsp. *maximus* (Desf.) Ball 94
 1268 * — *crinitus* Desf. 94
 1755 * — *durieua* Lange 97
 1754 * — *gingidium* L. 96
 1269 * — *muricatus* (L.) L. 94
 1271 * *Eryngium campestre* L. 94
 1272 * — *corniculatum* Lam. 94
 1273 * — *dilatatum* Lam. 94
 1274 * — *maritimum* L. 94
 1275 * — *pandanifolium* Cham. & Schltr. 94
 1276 * — *tenue* Lam. 97
 1277 * *Ferula communis* L. 94
 1756 * *Ferulago capillifolia* (Link) Franco 97
 1278 * *Foeniculum vulgare* Mill. subsp. *piperitum* (Ucria) Cout. 94
 1279 * *Heracleum sphondylium* L. subsp. *sphondylium* 94
 1280 *Heteromorpha trifoliata* (H. L. Wendl.) Eckl. & Zeyh. 94
 1281 * *Hydrocotyle bonariensis* Lam. 94
 1282 *Kundmannia sicula* (L.) DC. 97
 1283 * *Margotia gummiifera* (Desf.) Lange 94
 1284 * *Oenanthe crocata* L. 94
 1285 * — *fistulosa* L. 94
 1286 * — *lachenalii* C. C. Gmel. 94
 1287 * — *pimpinelloides* L. 94
 1288 * *Orlaya daucoides* (L.) Greuter 94
 1289 *Pastinaca sativa* L. subsp. *sativa* 94
 1290 *Petroselinum crispum* (Mill.) A.W. Hill var. *latifolium* Airy Shaw 94
 1291 * — *segetum* (L.) Koch 94
 1292 *Peucedanum cervaria* (L.) Lapeyr. 94
 1293 * — *lancifolium* Lange 94
 1294 * *Physospermum cornubiense* (L.) DC. 94
 1295 *Pimpinella saxifraga* L. 94
 1296 * — *villosa* Schousb. 94

- 1297 * *Pseudorlaya pumila* (L.) Grande 94
 1298 * *Ridolfia segetum* Moris 94
 1300 * *Scandix pecten-veneris* L. 97
 1301 * *Selinum carvifolia* (L.) L. 94
 1302 * *Seseli tortuosum* L. 94
 1303 * *Smyrnium olusatrum* L. 94
 1304 * — *perfoliatum* L. 94
 1305 * *Thapsia villosa* L. 94
 1306 * *Tordylium maximum* L. 94
 1307 * *Torilis arvensis* (Huds.) Link subsp. *neglecta* (Spreng.) Thell. 94
 1308 * — *nodosa* (L.) Gaertn. 94

URTICACEAE

- 1309 *Boehmeria cylindrica* (L.) Swartz 94
 1310 *Debregeasia longifolia* (Burm.) Wedd. 94
 1311 * *Parietaria judaica* L. 94
 1312 * — *lusitanica* L. subsp. *lusitanica* 94
 1313 *Pilea microphylla* (L.) Liebm. 94
 1314 — *pubescens* Liebm. 94
 1315 *Soleirolia soleirolii* (Req.) Dandy 94
 1316 * *Urtica dioica* L. 94
 1317 * — *membranacea* Poir. 94
 1757 * — *pilulifera* L. 97
 1318 * — *urens* L. 94

VALERIANACEAE

- 1319 * *Centranthus calcitrapae* (L.) Dufr. 94
 1320 * — *ruber* (L.) DC. subsp. *ruber* 94
 1321 * *Fedia cornucopiae* (L.) Gaertn. 94
 1322 * *Valerianella carinata* Loisel. 94
 1323 * — *discoidea* (L.) Loisel. 94
 1324 * — *microcarpa* Loisel. 94

VERBENACEAE

- 1325 *Clerodendrum trichotomum* Thunb. 94
 1326 *Duranta repens* L. 94
 1327 *Lantana camara* L. 94
 1329 *Verbena bonariensis* L. 94
 1330 * — *officinalis* L. 94
 1331 *Vitex agnus-castus* L. 94
 1332 — *negundo* L. 97

VIOLACEAE

- 1333 * *Viola arvensis* Murray 94
 1335 * — *lactea* Sm. 97
 1336 * — *odorata* L. 97
 1338 * — *riviniana* Rchb. 97
 1339 — *x wittrockiana* Gams 94

VITACEAE

- 1340 *Ampelopsis aconitifolia* Bunge var. *glabra* Diels 94
 1341 *Parthenocissus quinquefolia* (L.) Planch. 94
 1342 — *tricuspidata* (Siebold & Zucc.) Planch. 94

ZYGOPHYLLACEAE

- 1343 * *Tribulus terrestris* L. 94

MONOCOTYLEDONES

AGAVACEAE

- 1344 *Cordyline australis* (Forst.) Hook. f. 94
 1345 *Phormium tenax* J. R. & G. Forst. 94

ALISMATACEAE

- 1346 * *Alisma plantago-aquatica* L. 94
 1347 * *Baldellia ranunculoides* (L.) Parl. 94

AMARYLLIDACEAE

- 1348 *Clivia nobilis* Lindl. 97
 1349 *Hypoxis rooperi* T. Moore 97
 1352 * *Narcissus bulbocodium* L. 94
 1353 * — *callicola* Mendonça 96
 1356 * *Pancratium maritimum* L. 96

ARACEAE

- 1357 *Aglonema robelinii* (Linden) L. Gentil 97
 1358 * *Arisarum vulgare* Targ.-Tozz. subsp. *vulgare* 94
 1359 * *Arum italicum* Mill. subsp. *italicum* 94

BROMELIACEAE

- 1360 *Dyckia brevifolia* Bak. 94
 1361 — *rariflora* Schult. f. 94
 1362 *Lindmania penduliflora* (C. H. Wright) Stapf 94
 1363 *Pitcairnia mirabilis* Mez 94

COMMELINACEAE

- 1364 *Palisota barteri* Hook. f. 94

CYPERACEAE

- 1365 * *Carex arenaria* L. 94
 1366 * — *binervis* Sm. 94
 1375 * — *cuprina* A. Kern 94
 1367 * — *depressa* Link subsp. *depressa* 94
 1369 * — *divulsa* Stokes 94
 1370 * — *echinata* Murray 94
 1383 * — *elata* All. subsp. *reuteriana* (Boiss.) Luceño & Aedo 94
 1371 * — *flacca* Schreb. 94
 1758 * — *furva* Webb. 97
 1372 * — *hispida* Willd. 94
 1373 * — *laevigata* Sm. 94
 1376 * — *leporina* L. 94
 1374 * — *muricata* L. 94
 1377 * — *paniculata* L. subsp. *lusitanica* (Schkuhr) Maire 94
 1378 * — *pendula* Huds. 94
 1380 * — *pilulifera* L. subsp. *pilulifera* 94
 1381 * — *pseudocyperus* L. 94
 1382 * — *remota* L. 97
 1384 * — *riparia* Curtis 94
 1385 * — *viridula* Frank & Sav. subsp. *brachyrrhyncha* (Čelák.) B.Schmid var. *lepidocarpa* (Tausch) B.Schmid 94
 1386 * *Cladium mariscus* (L.) Pohl 94
 1387 * *Cyperus capitatus* Vand. 94
 1388 * — *difformis* L. 94
 1389 * — *eragrostis* Lam. 94
 1390 * — *flavescens* L. 94
 1394 *Mariscus ligularis* Urb. 94
 1395 * *Rhynchospora rugosa* (Vahl) Gale 94
 1396 * *Schoenus nigricans* L. 94
 1397 * *Scirpus cernuus* Vahl 94
 1398 * — *holoschoenus* L. 94
 1399 * — *juncoides* Roxb. 94
 1400 * — *lacustris* L. 94
 1401 * — *maritimus* L. subsp. *maritimus* 94
 1402 * — *mucronatus* L. 94
 1403 * — *setaceus* L. 94

DIOSCOREACEAE

- 1404 * *Tamus communis* L. 97

GRAMINEAE

- 1405 * *Aegilops geniculata* Roth 94
 1406 * — *triuncialis* L. 94
 1407 * *Agrostis castellana* Boiss. & Reut. var. *mutica* Hack. 94
 1408 * — *curtisii* Kerguelen 94
 1409 * — *pourretii* Willd. 94
 1410 * — *tenerrima* Trin. 94
 1411 * — *truncatula* Parl. 94
 1412 * *Aira caryophylla* L. subsp. *uniaristata* (Lag. & Rodr.) Maire 94
 1413 * — *praecox* L. 94

- 1414 * *Airopsis tenella* (Cav.) Asch. & Gracbn. 94
 1415 *Alopecurus myosuroides* Huds. 94
 1416 * *Ammophila arenaria* (L.) Link subsp. *arundinacea* H. Lindb. 94
 1417 *Ampelodesmos mauritanica* (Poir.) T. Durand & Schinz 94
 1418 * *Anthoxanthum amarum* Brot. 94
 1420 * *Antinoria agrostoides* (DC.) Parl. subsp. *natans* (Hack.) Rivas Mart. 97
 1421 * *Arrhenatherum elatius* (L.) J. & C. Presl subsp. *bulbosum* (Willd.) Schübl. & M. Martens 94
 1422 * *Avena barbata* Pott ex Link 94
 1423 * — *sterilis* L. subsp. *ludoviciana* (Durieu) Gillet & Magne 94
 1424 * *Avenula albinervis* (Boiss.) Lafnz 94
 1425 * — *marginata* (Lowe) H. Holub subsp. *sulcata* (Delastre) Franco 94
 1426 * *Brachypodium distachyon* (L.) P. Beauv. 94
 1427 * — *phoenicoides* (L.) Roem. & Schult. 94
 1428 * — *sylvaticum* (Huds.) P. Beauv. 94
 1429 * *Briza maxima* L. 94
 1430 — *media* L. 94
 1431 * — *minor* L. 94
 1432 — *triloba* Nees 94
 1433 * *Bromus diandrus* Roth 94
 1434 * — *hordeaceus* L. 94
 1435 * — *lanceolatus* Roth 94
 1436 * — *matritensis* L. 94
 1437 * — *sterilis* L. 94
 1438 * — *tectorum* L. 94
 1439 * — *unioloides* Kunth 94
 1440 * *Corynephorus canescens* (L.) P. Beauv. 94
 1441 * — *fasciculatus* Boiss. & Reut. 94
 1442 * *Cutandia maritima* (L.) Barbey 94
 1443 * *Cynodon dactylon* (L.) Pers. 94
 1444 * *Cynosurus cristatus* L. 94
 1445 * — *echinatus* L. 94
 1446 * — *elegans* Desf. 94
 1447 * *Dactylis glomerata* L. var. *hispanica* (Roth) Koch 94
 1448 * *Danthonia decumbens* (L.) DC. 94
 1759 * *Deschampsia caespitosa* (L.) P. Beau subsp. *caespitosa* 96
 1449 * — *flexuosa* (L.) Trin. 97
 1450 * *Desmazeria marina* (L.) Druce 94
 1451 * — *rigida* (L.) Tutin subsp. *rigida* 94
 1452 * *Digitaria sanguinalis* (L.) Scop. 94
 1453 * *Echinochloa crus-galli* (L.) P. Beauv. 94
 1454 * *Ehrharta erecta* Lam. 94
 1455 * *Elymus caninus* (L.) L. 94
 1456 * — *farctus* (Viv.) Melderis subsp. *boreali-atlanticus* (Simonet & Guin.) Melderis 94
 1457 * — *pungens* (Pers.) Melderis subsp. *campestris* (Godr. & Gren.) Melderis 94
 1458 * — — subsp. *pungens* 94
 1459 *Eragrostis chloromelas* Steud. 94
 1460 * — *cilianensis* (All.) F. T. Hubb. 94
 1461 * — *pilosa* (L.) P. Beauv. 97
 1462 * *Festuca ampla* Hack. subsp. *ampla* 94
 1463 * — *arundinacea* Schreb. subsp. *atlantigena* (St.-Yves) Auquier 94
 1464 * — *durandii* Clauson 94
 1465 * — *durissima* (Hack.) Kerguélen 97
 1466 * — *elegans* Boiss. 97
 1467 * — *henriquesii* Hack. 97

- 1468 — *nigrescens* Lam. subsp. *microphylla* (St.-Yves) Markgr.-Dann. 94
 1469 — *petraea* Guthnick ex Seub. 94
 1470 * *Gastridium ventricosum* (Gouan) Schinz & Thell. 94
 1471 * *Gaudinia fragilis* (L.) P. Beauv. subsp. *fragilis* 94
 1472 * *Glyceria fluitans* (L.) R. Br. 94
 1473 * *Hainardia cylindrica* (Willd.) Greuter 94
 1474 * *Holcus gayanus* Boiss. 97
 1475 * — *lanatus* L. 94
 1476 * — *mollis* L. subsp. *mollis* 94
 1477 * *Hordeum geniculatum* All. 94
 1478 * — *murinum* L. 94
 1479 * — *secalinum* Schreb. 94
 1480 * *Hyparrhenia hirta* (L.) Stapf 94
 1481 * *Koeleria caudata* (Link) Steud. 94
 1482 * *Lagurus ovatus* L. 94
 1483 * *Lamarckia aurea* (L.) Moench 94
 1484 * *Leersia oryzoides* (L.) Sw. 94
 1485 * *Lolium multiflorum* Lam. 94
 1486 * — *rigidum* Gaudin 94
 1487 * — *temulentum* L. 94
 1488 * *Melica magnolii* Gren. & Godr. 94
 1489 * — *minuta* L. 94
 1490 * — *uniflora* Retz. 97
 1491 * *Micropyrum patens* (Brot.) Rothm. ex Pilg. 94
 1492 * — *tenellum* (L.) Link 94
 1493 *Miscanthus sinensis* N.J. Anderson 94
 1494 * *Molineriella laevis* (Brot.) Rouy 94
 1495 * *Molinia caerulea* (L.) Moench subsp. *caerulea* 94
 1496 * *Nardus stricta* L. 97
 1497 *Panicum prionitis* Nees 97
 1498 * — *repens* L. 94
 1499 * *Parapholis incurva* (L.) C.E. Hubb. 94
 1500 * — *strigosa* (Dumort.) C. E. Hubb. 94
 1501 * *Paspalum dilatatum* Poir. 94
 1502 * — *paspalodes* (Michx.) Scribn. 94
 1503 * — *urvillei* Steud. 94
 1504 * — *vaginatum* Sw. 94
 1505 *Pennisetum villosum* Fresen. 94
 1760 * *Peribalia involucrata* (Cav.) Janka 97
 1506 * *Phalaris aquatica* L. 94
 1507 * — *arundinacea* L. subsp. *arundinacea* 94
 1508 * — *coerulescens* Desf. 94
 1509 * — *minor* Retz. 97
 1510 * — *paradoxa* L. 94
 1511 * *Phleum pratense* L. subsp. *pratense* 94
 1512 * *Phragmites australis* (Cav.) Steud. subsp. *australis* 94
 1513 * *Piptatherum miliaceum* (L.) Coss. 94
 1514 * *Poa annua* L. 94
 1515 * — *bulbosa* L. 94
 1516 * — *pratensis* L. 94
 1517 * — *trivialis* L. 94
 1518 * *Polypogon maritimus* Willd. subsp. *maritimus* 94
 1519 * — *monsipeliensis* (L.) Desf. 94
 1520 * — *viridis* (Gouan) Breistr. 94
 1521 * *Pseudarrhenatherum longifolium* (Thore) Rouy 94

- 1761 * *Psilurus incurvus* (Gouan) Schinz & Thell 96
 1522 * *Pucinellia maritima* (Huds.) Parl. 94
 1523 * *Rostraria cristata* (L.) Tzvelev 94
 1524 *Secale montanum* Guss. 94
 1525 * *Setaria geniculata* (Lam.) P. Beauv. 94
 1526 * — *pumila* (Poir.) Roem. & Schult. 94
 1527 * — *verticillata* (L.) P. Beauv. 94
 1528 * — *viridis* (L.) P. Beauv. 94
 1529 *Sorghum halepense* (L.) Pers. 94
 1530 * *Spartina maritima* (Curtis) Fernald 94
 1531 * *Sporobolus indicus* (L.) R. Br. 94
 1532 * *Stipa capensis* Thunb. 94
 1533 * — *gigantea* Link 94
 1534 — *papposa* Nees 94
 1535 — *setigera* J. Presl 94
 1762 * *Taeniantherum caput-medusae* (L.) Nevski 96
 1536 *Tripsacum dactyloides* L. 94
 1537 * *Trisetaria hispida* (Lange) Paunero 97
 1538 * — *ovata* (Cav.) Paunero 97
 1539 * — *panicea* (Lam.) Paunero 94
 1540 * *Vulpia alopecurus* (Schousb.) Dumort. 94

IRIDACEAE

- 1541 *Chasmanthe aethiopica* (L.) N.E.Br. 94
 1542 * *Gladiolus illyricus* Koch 97
 1543 * — *italicus* Mill. 97
 1544 * *Gynandrisis sisyrinchium* (L.) Parl. 94
 1545 *Iris cretensis* Janka 94
 1547 * — *lusitanica* Ker-Gawl. 94
 1548 * — *planifolia* (Mill.) Fiori & Paol. 97
 1549 * — *pseudacorus* L. 94
 1550 * — *subbiflora* Brot. 97
 1552 * *Romulea bulbocodium* (L.) Sebast. & Mauri 94
 1553 *Watsonia bulbilifera* Matthews 94

JUNCACEAE

- 1763 * *Juncus acutiflorus* Ehrh. 96
 1554 * *Juncus acutus* L. var. *acutus* 94
 1555 * — *bufonius* L. 94
 1556 * — *bulbosus* L. 94
 1557 * — *capitatus* Weigel 94
 1558 * — *effusus* L. var. *effusus* 94
 1559 * — *heterophyllus* Duf. 94
 1560 * — *imbricatus* Laharpe var. *chamissonis* (Kunth) Buchenau 94
 1561 * — *inflexus* L. 94
 1562 * — *maritimus* Lam. 94
 1563 * — *squarrosus* L. 97
 1564 * — *tenageia* Ehrh ex L. f. 94
 1565 * — *valvatus* Link 94
 1566 * *Luzula caespitosa* Gay 94
 1567 * — *campestris* (L.) DC. 94
 1568 * — *forsteri* (Sm.) DC. subsp. *forsteri* 97
 1764 * — *lactea* Link. ex E. H. Mey. 97

- 1569 * — multiflora (Retz.) Lej. subsp. multiflora 97
 1570 * — sylvatica (Huds.) Gaudin subsp. henriquesii (Degen) P. Silva 97

JUNCAGINACEAE

- 1571 * Triglochin barrelieri Loisel. 94
 1572 * — maritima L. 96
 1765 * — striata Ruiz & Pav. 96

LILIACEAE

- 1573 Agapanthus praecox Willd. subsp. orientalis (F.M. Leight.) F. M. Leight. 94
 1574 — — subsp. praecox 97
 1575 * Allium ampeloprasum L. 94
 1576 * — baeticum Boiss. 94
 1577 * — ericetorum Thore 94
 1578 * — neapolitanum Cirillo 94
 1579 * — paniculatum L. subsp. paniculatum 94
 1580 * — roseum L. 94
 1581 * — scorzonrifolium Desf. 97
 1582 * — sphaerocephalon L. subsp. sphaerocephalon 94
 1583 * — triquetrum L. 94
 1584 * — vincale L. 94
 1766 Aloe saponaria (Ait. f.) Haw. 96
 1585 * Asparagus acutifolius L. 94
 1586 * — aphyllus L. 97
 1587 — asparagoides (L.) Druce 97
 1588 — falcatus L. 94
 1589 — plumosus Baker 94
 1590 — sprengeri Regel 94
 1591 Asphodeline liburnica (Scop.) Rchb. 94
 1592 * Asphodelus aestivus Brot. 94
 1593 * — fistulosus L. 94
 1594 * — ramosus L. 94
 1595 Bellevallia dubia (Guss.) Rchb. 94
 1597 Chlorophytum comosum (Thunb.) Jacques 94
 1598 * Colchicum lusitanicum Brot. 97
 1599 * Fritillaria lusitanica Wikstr. 94
 1602 * Hyacinthoides hispanica (Mill.) Rothm. 97
 1603 — non-scripta (L.) Chouard ex Rothm. 94
 1604 Lilium regale E. H. Wilson 97
 1606 * Muscari comosum (L.) Mill. 94
 1607 * — neglectum Ten. 97
 1608 * Nothoscordum inodorum (Ait.) G. Nicholson 94
 1609 Ophiopogon jaburan Lodd. 97
 1610 — japonicus (L.) Ker. Gawl. 94
 1611 Ornithogalum caudatum Ait. 94
 1612 * — concinnum (Salisb.) Cout. 97
 1613 * — narbonense L. 94
 1614 * — pyrenaicum L. 94
 1615 * — umbellatum L. 94
 1616 * Paradisea lusitanica (Cout.) Samp. 97
 1617 * Polygonatum odoratum (Mill.) Druce var. odoratum 97
 1767 Rhodea japonica Roth. ex Kunth 97
 1618 Ruscus aculeatus L. 97

- 1619 * *Scilla autumnalis* L. 94
 1620 * — *monophyllos* Link 97
 1621 * — *ramburei* Boiss. 97
 1622 * *Simethis planifolia* (L.) Gren. 94
 1772 * *Smilax aspera* L. var. *aspera* 97
 1624 * *Urginea maritima* (L.) Baker 94

PALMAE

- 1626 ** *Arecastrum romanzoffianum* (Cham.) Becc. 97
 1627 ** *Butia capitata* (Mart.) Becc. var. *capitata* 97
 1628 ** — *eriospatha* (Mart.) Becc. 97
 1629 ** *Chamaeropsis humilis* L. var. *arborescens* Pers. 97
 1630 ** — *humilis* L. var. *humilis* 97
 1633 ** *Phoenix canariensis* Hort. ex Chabaud 97
 1769 ** *Syagrus weddelliana* Becc. 97

PONTEDERIACEAE

- 1635 *Pontederia cordata* L. 94

SPARGANIACEAE

- 1636 * *Sparganium erectum* L. subsp. *erectum* 94

TIYPHIACEAE

- 1638 * *Typha angustifolia* L. 94
 1639 * — *latifolia* L. 94