


INDEX SEMINUM ET SPORARUM

QUAE

HORTUS BOTANICUS CONIMBRIGENSIS
PRO MUTUA COMMUTATIONE OFFERT

Anno 2002



Hortus Botanicus

DEPARTAMENTO DE BOTÂNICA
Faculdade de Ciências e Tecnologia
UNIVERSIDADE DE COIMBRA
PORTUGAL

Index Seminum Information

(pay attention: the code number may not be in numerical order)

Geographical position

Lat.: 40° 12' 25" N
Long.: 8° 25' 30" W
Alt.: 25-110 m
above sea level

Cultivated taxa:
about 3500

Main collections:

Gymnospermae
Myrtaceae
Leguminosae
Aceraceae

Staff:

HEAD OF DEPARTMENT
José Firmino Mesquita

SCIENTIFIC ADVISOR
Maria Teresa Almeida

NOMENCLATURE REVISER
José Ormonde

CURATOR
Ana Cristina Tavares

COLLECTORS
Arménio da Costa Matos

Address:

JARDIM BOTÂNICO DA
UNIVERSIDADE DE COIMBRA
Arcos do Jardim
3049 Coimbra Codex PORTUGAL

Tel.: 239 822897

Fax: 00 351 239 820780

E-mail: jardbot@ci.uc.pt

URL: <http://www.uc.pt/botanica/indexse.htm>

ISSN 0870-869

SOME REPORTS ABOUT THE BOTANICAL GARDEN OF COIMBRA

Founded between 1772-1774 by order of the
Marquês de Pombal.

Climatic indications* (from the Geophysical
Institute of the University of Coimbra)

*2000 Data	Monthly	Media	Absolute	Values
	Highest	Lowest	Maximum	Minimum
Temperature (°C)	28,7 (Aug)	8,9 (Nov)	37,5 (16 July)	0,375 (24 Feb)
Relative humidity (%)	88 (Nov; Dec)	66 (March)	100 (25 Nov)	20 (13 Jun)
Monthly accumulated precipitation (mm)	—	—	324,5 (Dec)	6,3 (Jun)
Total insolation (sun hours/day)	10,5 (Aug)	1,5 (Dec)	—	—


The BOTANICAL GARDEN is a unit of the UNIVERSITY OF COIMBRA, Faculty of Sciences and Technology — DEPARTMENT OF BOTANY. It is an establishment for education and research.

The BOTANICAL GARDEN OF COIMBRA covers an area of about 13 ha and it is divided in two parts

1. The highest part of the garden has a more elaborated conception in the style of the European gardens of the 18th century. There are different terraces where one can see the Order Beds, the greenhouses and a beautiful central Fountain;

2. The «Arboretum», in the lowest part of the garden, where a dense vegetation with exotic trees predominates, includes a valley with a Monocotyledonae collection, an excellent collection of *Eucalyptus* (about 50 species), a cold greenhouse and a splendid plantation of bamboos.

Portugal



Geographical position of Portugal in the World Map



Coimbra



- AAI - Alto Alentejo
- Ag - Algarve
- BA - Beira Alta
- BAI - Baixo Alentejo
- BB - Beira Baixa
- BL - Beira Litoral
- DL - Douro Litoral
- E - Estremadura
- MI - Minho
- R - Ribatejo
- TM - Trás-os-Montes
(Alto Douro)

Portuguese map with province codes (Flora Ibérica, 1986)

INDEX SEMINUM ET SPORARUM

QUAE
HORTUS BOTANICUS CONIMBRIGENSIS
PRO MUTUA COMMUTATIONE OFFERT

(Anno 1998, 1999, 2000, 2001 collectorum)

*— Semina e plantis spontaneis in loco natali lecta.

**— Semina germinationis brevis tempore proprio mituntur.

PTERIDOPHYTA

ADIANTACEAE

- 1 * Adiantum capillus-veneris L. 01
2 — hispidulum Sw. 01

ASPLENIACEAE

- 9 * Asplenium adiantum-nigrum L. subsp. adiantum-nigrum 00
10 — aethiopicum (Burm.f.) Bech. subsp. braithwaitii Ormonde 01
11 — bulbiferum G. Forst. 01
12 — hemionitis L. 01
13 — nidus L. var. nidus 01
14 * — obovatum Viv. subsp. lanceolatum P. Silva 01
15 * — onopteris L. 00
16 * — ruta-muraria L. subsp. ruta-muraria 01
17 * — septentrionale (L.) Hoffm. subsp. septentrionale 99
18 * — trichomanes L. subsp. quadrivalens D. E. Mey. 01
19 — viviparum (L. f.) C.Presl var. viviparum 01
20 * Ceterach officinarum Willd. subsp. officinarum 01
21 * Phyllitis scolopendrium (L.) Newman subsp. scolopendrium 01

BLECHNACEAE

- 22 Blechnum brasiliense Desv. 00
24 * — spicant (L.) Roth var. spicant 01
25 Doodia aspera R. Br. 00
26 — caudata (Cav.) R. Br. 01
27 — dives Kunze 99
28 — media R. Br. 01
29 Woodwardia radicans (L.) Sm. 00
30 — virginica (L.) Sm. 01

CRYPTOGRAMMACEAE

- 6 Onychium japonicum (Thunb.) Kunze 01

DAVALLIACEAE

- 31 * *Davallia canariensis* (L.) Sm. 01

DENNSTAEDTIACEAE

- 49 *Dennstaedtia bipinnata* (Cav.) Maxon 00
50 *Microlepia hirta* (Kaulf.) C. Presl 00
51 — *platyphylla* (D. Don) Sm. 00

DICKSONIACEAE

- 32 *Cibotium glaucum* (Sm.) Hook. & Arn. 00
34 *Dicksonia antarctica* Labill. 01
35 — *sellowiana* (C. Presl) Hook. 01

DRYOPTERIDACEAE

- 40 *Cytomium falcatum* (L. f.) Copel. 01
41 — *fortunei* J. Sm. 01
36 * *Dryopteris affinis* (Lowe) Fraser-Jenk. subsp. *affinis* 99
37 — *atrata* (Wall.) Ching 01
1641 * — *filix-mas* (L.) Schott. 99
42 * *Polystichum setiferum* (Forssk.) Woy. 01

EQUISETACEAE

- 43 * *Equisetum arvense* L. 99
44 * — *palustre* L. 98
45 * — *ramosissimum* Desf. 00
46 * — *telmateia* Ehrh. 01

HEMIONITIDACEAE

- 47 * *Anogramma leptophylla* (L.) Link 01

HYPOLEPIDACEAE

- 52 * *Pteridium aquilinum* (L.) Kuhn 01

NEPHROLEPIDACEAE

- 53 *Nephrolepis exaltata* (L.) Schott 00

OPHIOGLOSSACEAE

- 1811 * *Ophioglossum lusitanicum* L. 01

OSMUNDACEAE

- 55 * *Osmunda regalis* L. 01

POLYPODIACEAE

- 56 *Microsorium punctatum* (L.) Copel. 01
57 *Phlebodium aureum* (L.) Sm. 00

- 58 *Platynerium bifurcatum* (Cav.) C. Chr. 01
 59 *Polypodium azoricum* (Vasc.) R. Fern. 01
 60 * — *cambricum* L. subsp. *serrulatum* (Sch. ex Arcang.) Pic. Sern. 01
 61 * — *interjectum* Shivas 01
 62 *Pyrrosia lingua* (Thunb.) Farw. 01

PTERIDACEAE

- 63 *Pteris cretica* L. var. *cretica* 01
 64 — — var. *albolineata* Hook. 01
 65 — — var. *wilsonii* Hort. 01
 66 — *incompleta* Cav. 99
 67 — *longifolia* L. 01

SCHIZAEACEAE

- 69 *Anemia phyllitidis* (L.) Sw. 01
 70 *Lygodium scandens* (L.) Sw. 01

SELAGINELLACEAE

- 68 * *Selaginella denticulata* (L.) Spring 01

SINOPTERIDACEAE

- 3 * *Cheilanthes acrostica* (Balb.) Tod. 00
 4 * — *hispanica* Mett. 01
 5 * — *maderensis* Lowe 00
 1640 * — *tinaei* Tod. 01
 7 *Pellaea rotundifolia* (G. Forst.) Hook. 01
 8 — *viridis* (Forssk.) Prantl var. *viridis* 01

THELYPTERIDACEAE

- 71 *Christella parasitica* (L.) Lév. 01

WOODSIACEAE

- 72 * *Athyrium filix-femina* (L.) Roth 99
 73 * *Cystopteris fragilis* (L.) Bernh. 01

GYMNOSPERMAE

ARAUCARIACEAE

- 74 *Araucaria bidwilli* Hook. 01

CUPRESSACEAE

- 75 *Callitris rhomboidea* R. Br. 01
 76 *Chamaecyparis lawsoniana* (A. Murray) Parl. 00
 77 *Cupressus arizonica* Greene 00
 78 — *lusitanica* Mill. var. *lusitanica* 00

- 80 — macrocarpa Hartw. var. macrocarpa 01
 81 — sempervirens L. 01
 1840 * Juniperus communis L. 01
 1643 * — phoenicea L. 00
 82 Platycladus orientalis (L.) Franco 00
 83 Tetraclinis articulata (Vahl) Mast. 01

GINKGOACEAE

- 1841 Ginkgo biloba L. 01

PINACEAE

- 84 * Pinus pinaster Aiton 00
 85 * — pinea L. 01
 1644 * — sylvestris L. 00
 86 — mugo Turra subsp. uncinata (Ramond ex DC.) Domin 01

TAXODIACEAE

- 87 Cryptomeria japonica (L. f.) D. Don 01
 88 Sequoia sempervirens (Lamb.) Endl. 01

ANGIOSPERMAE

DICOTYLEDONES

ACANTHACEAE

- 89 * Acanthus mollis L. 00
 1842 Crossandra nilotica Oliv. 01
 1773 Justicia brandegeana Wats. B. Sm. 01

ACERACEAE

- 92 Acer campestre L. 00
 1645 — dasycarpum Ehrh. 00
 93 — japonicum Thunb. var. microphyllum Hort. 01
 1646 — monspessulanum L. 99
 94 — negundo L. 00
 96 — palmatum Thunb. f. roseo-marginatum (C. Koch) Schwer. 01
 97 — platanoides L. 00
 98 — pseudoplatanus L. 01
 99 — — f. purpureum (Loud.) Rehder 01

ACTINIDIACEAE

- 100 Actinidia chinensis Planch. 01

AIZOACEAE

- 102 * *Carpobrotus edulis* (L.) N. E. Br. 00
 103 * — *nodiflorum* L. 00
 104 * *Tetragonia tetragonoides* (Pall.) Kuntze 99

AMARANTHACEAE

- 105 * *Amaranthus albus* L. 00
 1855 — *caudatus* L. 01
 1647 — *cruentus* L. 99
 108 * — *deflexus* L. 00
 109 * — *gracizans* L. subsp. *silvestris* (Vill.) Brenan 00
 110 * — *hybridus* L. 00
 111 * — *powellii* S. Watson 99
 112 *Celosia argentea* L. var. *cristata* (L.) Kuntze 00
 113 *Gomphrena albiflora* Moq. 01
 114 — *globosa* L. 01

ANACARDIACEAE

- 115 *Cotinus coggygia* Scop. 01
 116 * *Pistacia lentiscus* L. 01
 117 * — *terebinthus* L. 01
 1897 * *Rhus coriaria* L. 00
 118 *Schinus dependens* Ortega 00
 119 — *molle* L. var. *areira* (L.) DC. 01
 120 — *terebinthifolius* Raddi 01

APOCYNACEAE

- 121 *Acokanthera oblongifolia* (Hochst.) Codd 01
 124 *Catharanthus roseus* (L.) G. Don var. *albus* G. Don 01
 123 — var. *roseus* 01
 126 *Nerium oleander* L. var. *album* Lodd. 01
 127 — var. *oleander* 01
 128 *Thevetia peruviana* (Pers.) Schum. 01
 129 * *Vinca difformis* Pourr. subsp. *difformis* 01

AQUIFOLIACEAE

- 130 * *Ilex aquifolium* L. 01

ARALIACEAE

- 131 *Fatsia japonica* (Thunb.) Decne. & Planch. 01
 132 * *Hedera helix* L. subsp. *canariensis* (Willd.) Cout. 00
 133 *Pseudopanax crassifolius* (Sol. ex A. Cunn.) C. Koch 01

ARISTOLOCHIACEAE

- 134 *Aristolochia fimbriata* Cham. 01
 135 * — *paucinervis* Pomet 01
 136 — *sempervirens* L. 01

ASCLEPIADACEAE

- 137 * *Araujia sericifera* Brot. 01
 138 *Asclepias curassavica* L. 01
 140 — *fruticosa* L. 01
 141 * *Vincetoxicum nigrum* (L.) Moench 01

BALSAMINACEAE

- 142 *Impatiens balsamina* L. 01
 143 — *walleriana* Hook.f. 99

BASELLACEAE

- 144 *Anredera cordifolia* (Ten.) Steenis 01

BEGONIACEAE

- 1776 *Begonia cucullata* Willd. var. *hookeri* (A. DC.) L.B. Sm. & Schub. 01
 1898 — *grandis* Dryand. subsp. *evansiana* (Andrews) Immsch. 01

BERBERIDACEAE

- 146 *Berberis vulgaris* L. 01
 1649 *Mahonia japonica* Thunb. 01
 1899 *Nandina domestica* Thunb. 01

BETULACEAE

- 1650 * *Alnus glutinosa* (L.) Gaertner 01
 148 — *sinuata* (Regel) Rydb 01
 149 *Betula alba* L. 00
 1788 * *Corylus avellana* L. 00

BIGNONIACEAE

- 151 *Campsis radicans* (L.) Seem. 01
 152 *Catalpa bignonioides* Walter 01
 153 — *ovata* G. Don 01
 154 *Doxantha unguis-cati* (L.) Rehder 01
 155 *Jacaranda mimosifolia* D. Don 01
 156 *Pithecoctenium muricatum* Moq. ex DC. 01

BOMBACACEAE

- 1900 *Adansonia digitata* L. 00

BORAGINACEAE

- 157 * *Anchusa azurea* Mill. 01
 1843 * — *undulata* L. subsp. *granatensis* (Boiss.) Valdés 01
 158 * — *undulata* L. subsp. *undulata* 01
 159 * *Borago officinalis* L. 01
 161 * *Cerinthe gymnandra* Gasp. var. *gymnandra* 00
 162 * — *major* L. 01
 1777 *Cynoglossum amabile* Stapf & J. R. Drumm. 99

- 164 * — clandestinum Desf. 00
 165 * — creticum Mill. 99
 166 * Echium lusitanicum L. subsp. lusitanicum 01
 167 * — plantagineum L. 00
 169 * — tuberculatum Hoffmanns. & Link 00
 170 Heliotropium amplexicaule Vahl 01
 171 * — europaeum L. 00
 172 — peruvianum L. 00
 173 Lithospermum officinale L. 01
 174 * Myosotis arvensis (L.) Hill subsp. arvensis 98
 1901 * — debilis Pomel 00
 175 * — discolor Pers. 01
 177 * — stolonifera (DC.) Leresche & Levier 01
 178 * — welwitschii Boiss. & Reut. 01
 181 Omphalodes linifolia (L.) Moench 99
 182 * — nitida Hoffmanns. & Link 01
 183 * Pentaglottis sempervirens (L.) Tausch ex L. H. Bailey 00

BUXACEAE

- 184 Sarcococca hookeriana Baill. 01

CACTACEAE

- 185 * Opuntia maxima Mill. 00

CALLITRICHACEAE

- 186 * Callitriche brutia Petagna 00
 1902 * — stagnalis Scop. 00
 187 * — truncata Guss. subsp. occidentalis (Rouy) Schotsman 01

CALYCANTHACEAE

- 188 Calycanthus laevigatus Willd. 01
 1778 Chimonanthus praecox (L.) Link 00

CAMPANULACEAE

- 189 * Campanula erinus L. 01
 190 * — herminii Hoffmanns. et Link 01
 191 * — lusitanica L. 01
 192 * — primulifolia Brot. 00
 1779 — rapunculoides L. subsp. rapunculoides 01
 193 * — rapunculus L. 01
 194 * Jasione crispa (Poult.) Samp. subsp. mariana (Willk.) Rivas Mart. 01
 195 * — montana L. subsp. montana 01
 196 * Legousia hybrida (L.) Delarbre 99
 197 Lobelia laxiflora Humb., Bonpl. & Kunth 00
 198 * — urens L. 01
 199 * Trachelium caeruleum L. subsp. caeruleum 01
 200 * Wahlenbergia hederacea (L.) Rchb. 01

CANNABACEAE

- 1903 Cannabis sativa L. 00

- 201 * *Humulus lupulus* L. 01

CAPPARACEAE

- 1781 *Cleome spinosa* Jacq. 00
 202 * — *violacea* L. 01
 203 *Isomeris arborea* Nutt. 01
 1780 *Polanisia trachysperma* Torr. & A. Gray 00

CAPRIFOLIACEAE

- 204 *Kolkwitzia amabilis* Graebner 00
 205 * *Lonicera etrusca* Santi 01
 206 * — *implexa* Aiton 01
 207 — *japonica* Thunb. var. *aureo-reticulata* (T. Moore) Nicholles 01
 208 — *maackii* (Rupr.) Maxim. 00
 209 * — *periclymenum* L. subsp. *periclymenum* 00
 210 — *tatarica* L. 00
 211 — *translucens* Carrière 00
 212 * *Sambucus ebulus* L. 00
 213 * — *nigra* L. 00
 1942 *Viburnum lantana* L. 01
 214 — *odoratissimum* Ker Gawl. 00
 215 * — *tinus* L. subsp. *tinus* 01
 1844 — *plicatum* Thunb. f. *tomentosum* (Thunb.) Rehder 01

CARICACEAE

- 216 *Carica quercifolia* Benth. & Hooker. f. ex Hieron. 01

CARYOPHYLLACEAE

- 1652 * *Agrostemma githago* L. 01
 217 * *Arenaria conimbricensis* Brot. subsp. *conimbricensis* 01
 218 * — *leptoclados* (Rchb.) Guss. 01
 219 * — *montana* L. subsp. *montana* 01
 220 * — *querioides* Pourr. ex Willk. 01
 222 * *Cerastium diffusum* Pers. subsp. *diffusum* 01
 223 * — *fontanum* Baumg. subsp. *vulgare* (Hartm.) Greuter & Burdet 01
 224 * — *glomeratum* Thuill. 01
 1653 * — *ramosissimum* Boiss. 01
 226 * *Corrigiola litoralis* L. subsp. *litoralis* 99
 227 * — *litoralis* L. subsp. *telephiifolia* (Pourr.) Briq. 01
 1943 *Dianthus armeria* L. subsp. *armeria* 01
 229 — *barbatus* L. subsp. *barbatus* 01
 1904 * — *cintratus* Boiss. & Reut. subsp. *barbatus* R. Fern. & Franco 01
 230 * — *lusitanus* Brot. 01
 231 * *Hemaria ciliolata* Melderis subsp. *robusta* Chaudhri 01
 1654 * — *scabrida* Boiss. subsp. *scabrida* var. *glabrescens* Boiss. 00
 234 * *Illecebrum verticillatum* L. 00
 235 *Lychnis coronaria* (L.) Desr. 01
 238 * *Minuartia recurva* (All.) Schinz & Thell. 01
 240 * *Moehringia pentandra* Gay 01
 239 * *Moenchia erecta* (L.) P. Gaertn., B. Mey. & Scherb. 01
 241 * *Myosoton aquaticum* (L.) Moench 01
 1655 * *Oregia hispanica* L. 01

- 242 * *Paronychia argentea* Lam. var. *argentea* 01
 225 * — *cymosa* (L.) DC. 01
 243 * — *echinulata* Chater var. *echinulata* 00
 244 * — *polygonifolia* (Vill.) DC. var. *velucensis* Boiss. 99
 245 * *Petromagia nanteuillii* (Burnat) P. W. Ball & Heywood 00
 246 * *Polycarpon tetraphyllum* (L.) L. subsp. *alsinifolium* (Biv.) Ball 00
 247 * — *tetraphyllum* (L.) L. subsp. *tetraphyllum* 99
 248 * *Sagina apetala* Ard. 01
 1656 * — *maritima* D. Don 00
 249 * — *procumbens* L. 00
 250 * — *saginoides* (L.) Karst. 01
 1657 * — *subulata* (Sw.) C. Presl 01
 251 * *Saponaria officinalis* L. 00
 252 *Scleranthus annuus* L. 01
 253 * *Silene acutifolia* Link ex Rohrb. 01
 1905 — *armeria* L. 00
 254 * — *ciliata* Pourr. 01
 255 * — *disticha* Willd. 01
 256 * — *foetida* Link subsp. *foetida* 01
 257 * — *fuscata* Link ex Brot. 01
 258 * — *gallica* L. 01
 259 * — *inaperta* L. subsp. *inaperta* 01
 261 * — *latifolia* Poir. 99
 262 * — *littorea* Brot. subsp. *littorea* 01
 1658 * — *marizii* Samp. 01
 264 * — *micropetala* Lag. 01
 265 * — *nicaensis* All. 01
 266 * — *nocturna* L. 01
 267 * — *nutans* L. subsp. *nutans* 01
 268 — *pendula* L. 00
 269 * — *portensis* L. subsp. *portensis* 00
 270 * — *rubella* L. subsp. *rubella* 00
 271 * — *scabriflora* Brot. subsp. *scabriflora* 01
 273 * *Spergula arvensis* L. 01
 274 * — *morisonii* Boreau 01
 1659 * *Spergularia australis* (Samp.) Ralter 01
 276 * — *capillacea* (Kindb. et Lange) Willk. 01
 277 * — *marina* (L.) Besser 00
 279 * — *purpurea* (Pers.) G. Don 00
 280 * *Stellaria alsine* Grimm 01
 1845 * — *graminea* L. 00
 281 * — *holostea* L. 01
 282 * — *media* (L.) Vill. 01

CASUARINACEAE

- 283 *Casuarina equisetifolia* J. R. Forst. & G. Forst. 01

CELASTRACEAE

- 284 *Euonymus japonicus* L. f. 01
 1846 — *grandiflorus* Wall. ex Roxb. 01

CHENOPODIACEAE

- 1660 * *Arthrocnemum macrostachyum* (Moric.) Moris 00

- 1944 * *Atriplex halimus* L. 01
 1906 — *hortensis* L. 01
 285 * — *patula* L. 99
 1661 * — *prostrata* Boucher ex DC. 99
 288 * *Chenopodium album* L. var. *album* 99
 289 * — *ambrosioides* L. 01
 1662 * — *botrys* L. 99
 290 * — *murale* L. 01
 292 * — *polyspermum* L. 01
 1847 — *urbicum* L. 00
 1663 * *Halimione portulacoides* (L.) Aellen 00
 1665 * *Salsola kali* L. 00
 1666 * *Sarcocornia perennis* (Mill.) A. J. Scott. subsp. *alpini* (Lag.) Castrov. 99
 1667 * — *perennis* (Mill.) A. J. Scott. subsp. *perennis* (Lag.) Castrov. 00
 1668 * *Suaeda albens* Lázaro Ibiza 00
 1669 * — *splendens* (Pourr.) Gren. & Godr. 00

CISTACEAE

- 294 * *Cistus albidus* L. 01
 295 * — *crispus* L. 01
 296 * — *incanus* L. 01
 297 * — *ladanifer* L. subsp. *ladanifer* 01
 1670 — *laurifolius* L. 01
 298 * — *monspeliensis* L. 01
 299 * — *populifolius* L. subsp. *populifolius* 99
 303 * *Fumana thymifolia* (L.) Spach ex Webb 00
 304 * *Halimium calycinum* (L.) K. Koch 00
 305 * — *halimifolium* (L.) Willk. subsp. *multiflorum* (Salzm. ex Dunal) Maire 01
 1671 * — *lasianthum* (Lam.) Spach subsp. *alyssoides* (Lam.) Greuter 01
 306 * — *lasianthum* (Lam.) Spach subsp. *lasianthum* 01
 307 * — *ocymoides* (Lam.) Willk. 01
 308 * — *umbellatum* (L.) Spach subsp. *umbellatum* 01
 1672 * — — subsp. *viscosum* (Willk.) O. Bolós & Vigo 01
 309 * *Helianthemum ledifolium* (L.) Mill. 00
 311 * *Xolantha guttata* (L.) Raf. 99
 312 * — *tuberaria* (L.) Gallego, Muñoz Garm. & C. Navarro 01

CNEORACEAE

- 313 *Cneorum tricocon* L. 01

COMBRETACEAE

- 1673 *Terminalia australis* Cambess. 01

COMPOSITAE

- 314 * *Achillea ageratum* L. 01
 1674 * — *millefolium* L. 01
 475 *Acmella oleracea* (L.) R. K. Jansen 00
 392 *Ageratina adenophora* (Spreng.) R. M. King & H. Rob. 99
 395 — *viburnoides* (DC.) R. M. King & H. Rob. 00

- 316 *Ageratum houstonianum* Mill. 01
 320 * *Anthemis arvensis* L. 98
 1676 * — *canescens* Brot. 01
 1848 — *tinctoria* L. 00
 322 * *Arctium minus* (Hill) Bernh. 01
 323 * *Arctotheca calendula* (L.) Levyns 01
 1907 * *Arnica montana* L. subsp. *atlantica* A. Bolós 01
 324 * *Amoseris minima* (L.) Schweigg. & Körte 01
 1908 * *Artemisia crithmifolia* L. 00
 325 *Aster rotundifolius* Thunb. 00
 326 * — *squamatus* (Spreng.) Hieron. 00
 393 *Bartlettina sordida* (Less.) R. M. King & H. Rob. 01
 329 * *Bellis perennis* L. 01
 330 * — *sylvestris* C. rillo var. *sylvestris* 01
 331 *Berkheya radula* (Harv.) Burt-Davy 00
 332 * *Bidens frondosa* L. 98
 1849 — *pilosa* L. 99
 333 * *Calendula arvensis* L. subsp. *arvensis* 00
 334 — *officinalis* L. 00
 335 * — *suffruticosa* Vahl subsp. *algarbiensis* (Boiss.) Nyman 01
 336 * — *suffruticosa* Vahl subsp. *lusitanica* (Boiss.) Ohle 01
 337 *Callistephus chinensis* (L.) Nees 01
 338 * *Carduncellus caeruleus* (L.) C. Presl. subsp. *caeruleus* 00
 339 * *Carduus carpetanus* Boiss. & Reut. 01
 340 * — *lusitanicus* Rouy 01
 341 * — *platypus* Lange 01
 342 * — *tenuiflorus* Curtis 00
 343 * *Carlina corymbosa* L. 99
 344 * — *racemosa* L. 99
 345 * *Carthamus lanatus* L. subsp. *lanatus* 00
 1909 — *tinctorius* L. 01
 346 * *Catananche caerulea* L. 01
 347 * *Centaurea africana* Lam. 00
 1678 * — *aristata* Hoffmanns. & Link subsp. *aristata* 01
 1679 * — *couthoi* Franco 00
 349 * — *limbata* Hoffmanns. & Link 01
 1680 * — *ornata* Willd. subsp. *ornata* 01
 353 * — *rivularis* Brot. 00
 354 * — *sempervirens* L. 01
 356 * — *sphaerocephala* L. subsp. *sphaerocephala* 01
 357 * — *uliginosa* Brot. 99
 1681 * *Chamaeleon gummifer* (L.) Cass. 00
 358 * *Chamaemelum fuscatum* (Brot.) Vasc. 01
 359 * — *mixtum* (L.) All. 01
 360 * — *nobile* (L.) All. var. *discolor* (Boiss. ex Willk.) P. Silva 00
 361 * *Chondrilla juncea* L. 01
 362 * *Chrysanthemum coronarium* L. 00
 364 * — *segetum* L. 99
 365 * *Cichorium intybus* L. 00
 367 * *Cirsium filipendulum* Lange 00
 368 * — *palustre* (L.) Scop. 01
 370 * — *welwitschii* Coss. 98
 1682 * *Cnicus benedictus* L. 01
 371 — *scabrum* (Poir.) Bonnet & Barratte 00
 372 * *Coleostephus myconis* (L.) Rchb. f. 01
 373 * *Conyza albida* Willd. ex Spreng. 00

- 374 * — bonariensis (L.) Cronq. 00
 375 * — canadensis (L.) Cronq. 00
 377 * *Cotula australis* (Sieber ex Spreng.) Hook. f. 01
 378 * — coronopifolia L. 00
 380 * *Crepis foetida* L. 01
 381 * — *lampsanoides* (Gouan) Tausch 01
 383 * — *vesicaria* L. subsp. *haenseleri* (Boiss. ex DC.) P. D. Sell 01
 384 * *Crupina vulgaris* Pers. ex Cass. 01
 1896 * *Cynara cardunculus* L. 01
 1782 — *scolymus* L. 00
 387 * *Diurichia viscosa* (L.) Greuter subsp. *viscosa* 01
 388 * *Echinops strigosus* L. 01
 389 * *Eclipta prostrata* (L.) L. 01
 391 * *Erigeron karvinskianus* DC. 01
 394 * *Eupatorium cannabinum* L. subsp. *cannabinum* 00
 396 * *Filago pygmaea* (L.) Brot. subsp. *pygmaea* 99
 400 * *Galactites tomentosa* Moench 99
 401 *Galinsoga ciliata* (Raf.) S. F. Blake 99
 402 * — *parviflora* Cav. 00
 403 * *Gamochaeta purpurea* (L.) Cabrera 00
 404 * *Gnaphalium luteo-album* L. 99
 405 *Grindelia camporum* Greene 00
 406 — *robusta* Nutt. 01
 407 — *squarrosa* (Pursh) Dunal 99
 408 * *Gymnostyles stolonifera* (Brot.) Tutin 00
 409 * *Hedynopsis cretica* (L.) Dum.-Cours. 00
 1910 *Helianthus annuus* L. 01
 1783 *Helichrysum bracteatum* (Vent.) Andrews 01
 1683 — *petiolare* Hilliard & Burt. 01
 413 * — *picardii* Boiss. & Reut. 00
 1684 * — *stoechas* (L.) Moench 99
 1685 * *Hieracium castellanum* Boiss. & Reut. 01
 415 * — *dumosum* Jord. 01
 416 * — *pilosella* L. 01
 417 * — *schmidtii* Tausch 01
 418 * *Hispidella hispanica* Lam. 01
 420 * *Hypochaeris radicata* L. 98
 421 * *Inula conyza* DC. 01
 1784 * *Jurinea humilis* (Desf.) DC. 01
 424 * *Lactuca saligna* L. 00
 425 * — *serriola* L. 99
 426 * — *viminea* (L.) F. W. Schmidt 99
 427 * — *virosa* L. 01
 428 * *Lapsana communis* L. 99
 430 * *Leontodon hispidus* L. 01
 431 * — *longirostris* (Finch. & P. D. Sell) Talavera 00
 433 * — *taraxacoides* (Vill.) Méral 00
 434 * — *tuberosus* L. 00
 435 * *Lepidophorum repandum* (L.) DC. 99
 1770 * *Leucanthemopsis flaveola* (Hoffmanns. & Link) Heywood 01
 436 * *Leucanthemum sylvaticum* (Hoffmanns. & Link) Nyman 01
 438 * *Logfia gallica* (L.) Coss. & Germ. 00
 90 *Lonas annua* (L.) Vines & Druce 01
 1850 *Matricaria chamomilla* L. 99
 441 * — *maritima* L. ssp. *maritima* 01
 176 — *perforata* Méral. 01

CONVOLVULACEAE

- 498 * *Calystegia sepium* (L.) R. Br. 01
 499 * — *soldanella* (L.) R. Br. 01
 501 * *Convolvulus arvensis* L. 01
 500 * — *tricolor* L. 99
 502 * *Cuscuta australis* R. Br. subsp. *tinei* (Inzenga) Feinbrun 01
 503 * — *epithymum* (L.) L. subsp. *kotschyi* (Des. Moul.) Arcang. 01
 504 *Ipomaea lobata* (Cerv.) Thell. 00

CORIARIACEAE

- 505 *Coriaria nepalensis* Wall. 00

CORNACEAE

- 506 *Aucuba japonica* Thunb. 01
 507 *Cornus capitata* Wall. 01
 508 — *mas* L. 01
 509 * — *sanguinea* L. subsp. *sanguinea* 01

CRASSULACEAE

- 510 *Aichryson laxum* (Haw.) Bramwell 01
 54 *Crassula portulaca* Lam. var. *obliqua* Aiton 00
 1853 — *radicans* D. Dietr. 01
 512 * — *tillaea* Lest.-Garl. 01
 1690 *Hylotelephium telephium* (L.) H. Ohba 01
 513 *Kalanchoe blossfeldiana* Poelln. 01
 514 — *velutina* Britten subsp. *velutina* 01
 516 * *Sedum acre* L. 01
 517 * — *album* L. 01
 1691 * — *amplexicaule* DC. 01
 1789 * — *anglicum* Huds. 01
 518 * — *arenarium* Brot. 00
 519 * — *brevifolium* DC. 01
 1854 * — *forsteranum* Sm. 01
 520 * — *hirsutum* All. subsp. *hirsutum* 01
 515 * — *mucizonia* (Ortega) Raym. Hamet 01
 1689 * — *pedicellatum* Boiss. & Reut. subsp. *lusitanicum* (Willk. ex Mariz) M. Lafnz 01
 521 * — *rubens* L. 01
 522 * — *sediforme* (Jacq.) Pau 00
 523 * *Umbilicus rupestris* (Salisb.) Dandy 01

CRUCIFERAE

- 524 * *Arabidopsis thaliana* (L.) Heynh. 01
 1945 * *Arabis beirana* P. Silveira, Paiva & N. Marcos 01
 488 * — *juressi* Rothm. 01
 525 * — *planisiliqua* (Pers.) Rchmb. 01
 888 * — *sadina* (Samp.) Cout. 01
 526 * — *stenocarpa* Boiss. & Reut. 01
 1693 * *Biscutela auriculata* L. 01
 529 * — *valentina* (Loefl. ex L.) Heywood subsp. *valentina* var. *valentina* 01

- 530 * *Brassica barrelieri* (L.) Janka 01
 531 * — *oxyrrhina* Coss. 01
 1694 * *Bunias erucago* L. 01
 532 * *Cakile maritima* Scop. subsp. *integrifolia* (Homem.) Greuter & Burdet 01
 533 * *Capsella bursa-pastoris* (L.) Medik. 01
 534 * *Cardamine hirsuta* L. 01
 535 * *Coincya monensis* (L.) Greuter & Burdet subsp. *cheiranthos* (Vill.) Aedo,
 Leadley & Muñoz Garm. 99
 536 * — — subsp. — var. *recurvata* (All.) Leadley 01
 537 * *Coronopus didymus* (L.) Sm. 01
 539 * *Diplotaxis catholica* (L.) DC. 01
 540 * *Draba muralis* L. 01
 1022 *Erysimum cheiranthoides* L. 01
 1696 * — *lagascae* Rivas Goday & Bellot 01
 1697 * — *linifolium* (Pourr. ex Pers.) J. Gay 99
 1695 * — *merxmulieri* Polatschek 01
 542 * *Hirschfeldia incana* (L.) Lagr.-Foss. subsp. *incana* 99
 543 *Iberis amara* L. 00
 544 * — *ciliata* All. subsp. *welwitschii* (Boiss.) Moreno 00
 546 *Isatis tinctoria* L. subsp. *tinctoria* 00
 547 * *Lepidium heterophyllum* Benth. 01
 1023 — *sativum* L. 01
 549 * — *virginicum* L. 00
 1790 *Lobularia maritima* (L.) Desv. subsp. *maritima* 00
 1791 *Lunaria annua* L. 01
 551 * *Malcolmia ramosissima* (Desf.) Thell. 00
 552 * *Mathiola sinuata* (L.) R. Br. 99
 1698 * *Moricandia arvensis* (L.) DC. 01
 553 * *Murbeckiella boryi* (Boiss.) Rothm. 01
 554 * — *sousae* Rothm. 01
 555 * *Raphanus raphanistrum* L. subsp. *raphanistrum* 01
 556 — *sativus* L. 01
 557 * *Rapistrum rugosum* (L.) All. subsp. *linnaeanum* (Coss.) Rouy & Fouc. 01
 558 * — — subsp. *rugosum* 99
 1699 * *Rorippa nasturtium-aquaticum* (L.) Hayek 01
 1700 * — *sylvestris* (L.) Besser subsp. *sylvestris* 01
 560 * *Sinapis alba* L. subsp. *alba* 01
 561 * — *arvensis* L. 00
 562 * *Sisymbrella aspera* (L.) Spach. subsp. *aspera* 01
 1701 * *Sisymbrium altissimum* L. 00
 563 * — *officinale* (L.) Scop. 01
 564 * *Teesdalia coronopifolia* (J. P. Bergeret) Thell. 01
 565 * — *nudicaulis* (L.) R. Br. 01
 566 * *Teesdaliopsis conferta* (Lag.) Rothm. 01
 1236 *Thlaspi arvense* L. 01
 567 * — *perfoliatum* L. 99

CUCURBITACEAE

- 568 * *Bryonia dioica* Jacq. 99
 1337 *Cucumis melo* L. 01
 1350 *Cucurbita ficifolia* C.D. Boudré 01
 1354 — *pepo* L. 01
 569 * *Ecballium elaterium* (L.) A.Rich. subsp. *elaterium* 01

DIPSACACEAE

- 570 * *Dipsacus* *comosus* Hoffmanns. & Link 99
 572 * *Pterocephalus* *diandrus* (Lag.) Lag. 01
 573 * — *intermedius* (Lag.) Cout. 01
 574 * *Scabiosa* *atropurpurea* L. 01
 575 — *cretica* L. 01
 1946 * — *stellata* L. 01
 577 * *Succisa* *pratensis* Moench 01
 578 *Succisella* *inflexa* (Kluk) Beck 01
 1947 *Tremastelma* *palaestinum* (L.) Janch. 01

DROSERACEAE

- 579 * *Drosera* *intermedia* Hayne 01
 580 * — *rotundifolia* L. 01
 581 * *Drosophyllum* *lusitanicum* (L.) Link 00

EBENACEAE

- 582 *Diospyros* *lotus* L. 01

ELAEAGNACEAE

- 583 *Elaeagnus* *multiflora* Thunb. 01

EMPETRACEAE

- 584 * *Corema* *album* (L.) D. Don subsp. *album* 01

ERICACEAE

- 585 * *Arbutus* *unedo* L. 01
 1379 * *Caluna* *vulgaris* (L.) Hull 01
 586 * *Erica* *arborea* L. 00
 587 * — *australis* L. 00
 588 * — *ciliaris* Loeffl. ex L. 01
 589 * — *cinerea* L. 99
 1703 * — *erigena* R. Ross. 00
 1856 * — *scoparia* L. subsp. *scoparia* 99
 591 * — *tetralix* L. 01
 592 * — *umbellata* Loeffl. ex L. 01
 593 *Rhododendron* *micranthum* Turcz. 00
 594 — *ponticum* L. 01

EUPHORBIACEAE

- 1704 *Acalypha* *rhomboidea* Ray 01
 604 * *Chamaesyce* *maculata* (L.) Small 00
 605 * — *nutans* (Lag.) Small 00
 607 * — *peplis* (L.) Prokh. 00
 609 * — *prostrata* (Aiton) Small 00
 597 * *Euphorbia* *amygdaloides* L. subsp. *amygdaloides* 99
 598 — *ceratocarpa* Ten. 01
 599 * — *characias* L. subsp. *characias* 01
 601 * — *exigua* L. 01

- 602 * — falcata L. subsp. falcata 00
 1793 * — helioscopia L. 01
 603 * — hirsuta L. 01
 1794 — lathyrus L. 01
 606 * — paralias L. 00
 608 * — peplus L. var. peplus 01
 1334 * — portlandica L. 01
 610 * — pterococca Brot. 01
 612 * — uliginosa Welw. ex Boiss. 99
 613 Manihot palmata Müll. Arg. 01
 614 * Mercurialis ambigua L. fil. 01
 1795 * Ricinus communis L. 00

FAGACEAE

- 616 ** Quercus coccifera L. 01
 617 ** — faginea Lam. subsp. broteroi (Cout.) A. Camus 01
 619 ** — lusitanica Lam. 01
 621 ** — suber L. 01

FLACOURTIACEAE

- 1857 Dovyalis caffra (Hook. F. & Harv.) Warb. 01

FRANKENIACEAE

- 622 * Frankenia laevis L. 00

GENTIANACEAE

- 624 * Blackstonia perfoliata (L.) Huds. subsp. perfoliata 00
 625 * Centaurium erythraea Rafin. 99
 626 * — maritimum (L.) Fritsch 99
 627 * — tenuiflorum (Hoffmanns. & Link) Fritsch subsp. tenuiflorum
 01
 628 * Cicendia filiformis (L.) Delarbe 01
 629 * Exaculum pusillum (Lam.) Caruel 01
 1796 * Gentiana lutea L. subsp. lutea 98
 630 * — pneumonanthe L. 01

GERANIACEAE

- 631 * Erodium botrys (Cav.) Bertol. 01
 632 * — cicutarium (L.) L'Hér. 00
 633 * — malacoides (L.) L'Hér. 01
 634 * — moschatum (L.) L'Hér. 99
 636 * Geranium columbinum L. 01
 637 * — dissectum L. 01
 638 * — lucidum L. 00
 639 * — molle L. 00
 640 * — purpureum Vill. 01
 641 * — pyrenaicum Burm.f. 01
 642 * — robertianum L. 01
 643 * — rotundifolium L. 01
 644 Pelargonium zonale (L.) L'Hér. 99

GESNERIACEAE

- 647 *Streptocarpus rexii* (Hook.) Lindl. 00

GROSSULARIACEAE

- 595 *Escallonia montevidensis* (Cham. & Schlecht.) DC. 00

GUNNERACEAE

- 648 *Gunnera chilensis* Lam. 01

GUTTIFERAE

- 649 * *Hypericum androsaemum* L. 00
 650 — *canariense* L. 00
 651 * — *elodes* L. 01
 652 * — *humifusum* L. 99
 653 * — *linariifolium* Vahl 01
 654 * — *perforatum* L. 01
 655 * — *pulchrum* L. 00
 656 * — *tomentosum* L. 99
 657 * — *undulatum* (Schousb.) Willd. 00

HAMAMELIDACEAE

- 659 *Liquidambar styraciflua* L. 01

HIPPOCASTANACEAE

- 661 *Aesculus hippocastanum* L. 01

HYDRANGEACEAE

- 662 *Deutzia scabra* Thunb. 00
 663 *Philadelphus coronarius* L. 00
 664 — *incanus* Koehne 00

HYDROPHYLACEAE

- 48 *Phacelia tanacetifolia* Benth. 01

JUGLANDACEAE

- 665 *Juglans nigra* L. 01

LABIATAE

- 1706 * *Acinos alpinus* (L.) Moench subsp. *meridionalis* (Nyman) P.W. Ball 01
 666 * *Ajuga chamaepitys* (L.) Schreb. 01
 667 — *genevensis* L. 01
 668 * — *iva* (L.) Schreb. var. *pseudo-iva* (Robill & Cast. ex DC.) Robill & Cast. ex Benth. 01
 669 * — *pyramidalis* L. subsp. *meonantha* (Hoffmanns. & Link) R. Fern. 01
 670 — *reptans* L. 01
 671 *Ballota acetabulosa* (L.) Benth. 01

- 672 * — nigra L. subsp. foetida Hayek 01
 673 * Calamintha sylvatica Bromf. subsp. ascendens (Jord.) P. W. Ball 01
 674 * Cleonia lusitanica (L.) L. 00
 675 * Clinopodium vulgare L. subsp. arundanum (Boiss.) Nyman 01
 676 Coleus hybridus Hort. ex Cobeau 98
 1948 Dracocephalum moldavica L. 01
 677 * Lamium amplexicaule L. 00
 678 * — maculatum L. 01
 679 * — purpureum L. 00
 680 * Lavandula latifolia Medik. 01
 681 * — stoechas L. subsp. luisieri (Rozeira) Rozeira 00
 682 * — — subsp. sampaiana Rozeira 01
 684 * Lycopus europaeus L. 01
 685 * Marrubium vulgare L. 01
 686 * Melissa officinalis L. subsp. altissima (Sibth. & Sm.) Arcang. 00
 687 * Mentha aquatica L. 01
 688 * — pulegium L. 00
 689 * — suaveolens Ehrh. 00
 690 * Micromeria graeca (L.) Rchb. subsp. graeca 01
 691 * — juliana (L.) Rchb. 01
 1797 Nepeta cataria (L.) Britt. 99
 692 * — tuberosa L. 00
 693 * Origanum virens Hoffmanns. & Link 98
 1792 — vulgare L. 00
 1798 Perilla frutescens (L.) Britton var. crispa (Thunb.) Decne 01
 695 * Phlomis lychnitis L. 01
 1911 Physostegia virginiana (L.) Benth. 01
 1708 Plectranthus hereroensis Engler 00
 697 * Prunella grandiflora (L.) Scholler ssp. pyrenaica (Gren. & Godr.) A. & O.
 Bolós 01
 698 * — x intermedia Link 01
 699 * — vulgaris L. 00
 700 * Rosmarinus officinalis L. 01
 1949 Salvia guaranitica A. St. Hill. ex Benth. 01
 1799 — officinalis L. 00
 1912 — sclarea L. 00
 702 * — sclareoides Brot. 01
 703 — splendens Sellow ex Roem. & Schult. 01
 704 * — verbenaca L. 00
 705 * — viridis L. 01
 1913 Satureja hortensis L. 00
 1800 — montana L. 00
 706 * Scutellaria galericulata L. 00
 1858 * — minor Huds. 01
 707 * Sideritis hirsuta L. 01
 1914 — montana L. 01
 709 * Stachys arvensis (L.) L. 00
 710 * — germanica L. subsp. cordigera Briq. 00
 711 * — ocymastrum (L.) Briq. 99
 712 * — officinalis (L.) Trev. 00
 713 * — palustris L. 01
 1709 * — sylvatica L. 01
 714 Teucrium flavum L. 00
 715 * — polium L. 00
 716 * — salviastrum Schreb. 01
 717 * — scordium L. subsp. scordioides (Schreb.) Maire & Petm. 00

- 718 * — scorodonia L. subsp. scorodonia 01
 719 * Thymra capitata (L.) Cav. 01
 720 * Thymus caespitius Brot. 00
 721 * — mastichina L. 01
 722 * — villosus L. 01
 723 * — zygis Loebl. ex L. subsp. sylvestris (Hoffmanns. & Link) Brot. ex
 Cout. 01

LAURACEAE

- 724 ** Apollonias barbuiana (Cav.) Borm. subsp. barbuiana 01
 725 ** Cinnamomum camphora (L.) Nees & Eberm. 01
 726 ** Laurus nobilis L. 01
 727 ** Persea indica (L.) Spreng. 01

LEGUMINOSAE

- 1859 Acacia auriculiformis Cunn. ex Benth 00
 1860 — cultriformis A. Cunn. ex G. Don 00
 728 * — dealbata Link 01
 729 * — decurrens Willd. 01
 730 — farnesiana (L.) Willd. 00
 731 — horrida (L.) Willd. 00
 733 — melanoxydon R. Br. 00
 734 — meamsii De Wild. 99
 735 — retinodes Schichtdl. 01
 736 — saligna (Labill.) L. Wendl. 00
 737 — verticillata (L'Hér.) Willd. 00
 738 * Adenocarpus complicatus (L.) J. Gay 99
 740 Albizzia distachya (Vent.) J. F. Macbr. 01
 741 — julibrissin Durazz. 01
 743 Amorpha fruticosa L. 01
 745 Anthyllis barba-jovis L. 00
 746 * — gerardi L. 98
 750 * — vulneraria L. subsp. maura (Beck) Maire 01
 751 * Argemone zanonii (Turra) P.W. Ball 01
 752 Astragalus baeticus L. 00
 1710 * — cymbicarpus Brot. 99
 753 * — epiglotis L. 01
 1950 * — glycyphyllos L. 01
 758 * Biserrula pelecinus L. 01
 836 * Bituminaria bituminosa (L.) C. H. Stirt. 01
 1711 Camposema robicundum Hook. & Arn. 01
 760 Cassia floribunda Cav. 98
 761 Ceratonia siliqua L. 99
 762 Cercis siliquastrum L. 99
 1712 Colutea arborescens L. 01
 763 Coronilla cretica L. 99
 764 * — repanda (Poir.) Guss. 01
 765 * — scorpioides (L.) Koch 99
 766 — valentina L. subsp. glauca (L.) Batt. 00
 767 Crotalaria incana L. 00
 768 * Cytisus grandiflorus (Brot.) DC. 00
 769 * — multiflorus (L'Hér. ex Aiton) Sweet. 00
 1915 * — oromediterraneus Rivas Mart. 01
 771 * — striatus (Hill) Rothm. 00

- 772 *Desmodium canadense* DC. 00
 773 — *spicatum* Rehder 00
 774 — *tiliifolium* (D. Don) G. Don 00
 776 * *Dorycnium rectum* (L.) Ser. 00
 777 * *Echinospartum ibericum* Rivas Mart., Sánchez Mata & Sancho 01
 757 * *Erophaea baetica* (L.) Boiss. subsp. *baetica* 01
 778 *Erythrina crista-galli* L. 01
 1714 — *senegalensis* DC. 99
 779 *Galega officinalis* L. 00
 780 * *Genista anglica* L. 01
 782 * — *cinerea* (Vill.) DC. subsp. *cinerea* 01
 783 * — *falcata* Brot. 00
 784 * — *florida* L. 01
 1861 * — *tournefortii* Spach subsp. *tournefortii* 01
 785 * — *triacanthus* Brot. 01
 788 *Gleditsia triacanthos* L. 00
 1951 *Glycyrrhiza foetida* Desf. 01
 789 *Hedysarum coronarium* L. 01
 795 * *Lathyrus aphaca* L. 99
 797 * — *hirsutus* L. 98
 1952 * — *ochrus* (L.) DC. 01
 798 — *odoratus* L. 99
 1715 * — *sphaericus* Retz. 98
 799 * — *sylvestris* L. 01
 801 *Leucaena leucocephala* (Lam.) de Wit 00
 1953 * *Lotus comiculatus* L. 01
 803 * — *creticus* L. 01
 1916 — *ornithopodioides* L. 01
 806 * — *subbiflorus* Lag. subsp. *castellanus* (Boiss. & Reut.) P.W.Ball 01
 808 * — *uliginosus* Schkuhr 00
 1917 *Lupinus albus* L. 00
 809 * — *angustifolius* L. 01
 1954 * — *gredensis* Gaud. 01
 1716 * — *hispanicus* Boiss. & Reut. 00
 1717 * — *luteus* L. 01
 811 *Medicago arborea* L. 00
 812 * — *doliata* Carmign. Var. *muricata* (benth.) Heyn 00
 1918 — *intertexta* (L.) Mill. 00
 813 * — *littoralis* Rohde ex Loisel. var. *littoralis* 99
 814 * — *lupulina* L. var. *lupulina* 00
 815 * — *marina* L. 00
 817 * — *orbicularis* (L.) Bartal. var. *orbicularis* 01
 818 * — *polymorpha* L. subsp. *polymorpha* 00
 1862 * — *sativa* L. subsp. *sativa* 01
 819 — *truncatula* Gaertn. Var. *tribuloides* (Pers.) Burmot 00
 820 * *Melilotus indica* (L.) All. 00
 821 * — *italica* (L.) Lam. 01
 1718 * — *neapolitana* Ten. 96
 824 *Mimosa acanthocarpa* (Willd.) Benth. 01
 825 — *pudica* L. 01
 826 *Nissolia fruticosa* Jacq. 00
 1802 * *Ononis mitissima* L. 01
 1803 * — *pubescens* L. 99
 830 * — *reclinata* L. 99
 831 * — *viscosa* L. subsp. *breviflora* (DC.) Nyman var. *breviflora* 01
 833 * *Ornithopus perpusillus* L. 99

- 834 * — pinnatus (Mill.) Druce 99
 1919 Prosopis limensis Benth. 00
 786 * Pterospartium tridentatum (L.) Willk. subsp. tridentatum 01
 837 Pueraria lobata (Willd.) Ohwi 01
 838 * Retama monosperma (L.) Boiss. 99
 839 * — sphaerocarpa (L.) Boiss. 00
 840 Rhynchosia caribaea (Jacq.) DC. 01
 841 — phaseloides DC. 01
 842 Robinia pseudacacia L. 00
 843 — viscosa Vent. 01
 844 Schotia latifolia Jacq. 01
 845 * Scorpiurus muricatus L. 01
 846 * — vermiculatus L. 98
 847 Securigera securidaca (L.) Degan & Dorfl. 01
 1955 Sophora japonica L. 01
 848 — viciifolia Hance 01
 849 * Spartium junceum L. 01
 850 * Stauracanthus genistoides (Brot.) Samp. 01
 851 Teline monspessulana (L.) Koch 00
 1956 Tetragonolobus purpureus Moench 01
 852 Tipuana tipu (Benth.) Kuntze 01
 853 * Trifolium angustifolium L. 00
 854 * — arvense L. 01
 856 * — campestre Schreb. 01
 857 * — cernuum Brot. 00
 858 * — dubium Sibth. 99
 1804 * — fragiferum L. subsp. fragiferum 98
 859 * — glomeratum L. 00
 860 * — incarnatum L. subsp. incarnatum 01
 862 * — lappaceum L. 00
 1805 * — ligusticum Balb. ex Loisel. 00
 1720 * — ochroleucon Huds. 01
 865 * — pratense L. 01
 1721 * — repens L. subsp. repens L. 00
 866 * — resupinatum L. 00
 867 * — scabrum L. 00
 869 * — stellatum L. 01
 870 * — striatum L. 99
 871 * — subterraneum L. 00
 873 * — tomentosum L. 01
 1920 Trigonella caerulea (L.) Sm. 00
 1921 — foenum-graecum L. 01
 1724 * — polyceratia L. 00
 874 * Ulex europaeus L. 01
 875 * — minor Roth 01
 879 * Vicia disperma DC. 98
 880 — fava L. 00
 881 * — hirsuta (L.) A. Gray 00
 883 * — lutea L. subsp. lutea 01
 882 * — parviflora Cav. 98
 885 * — sativa L. 99
 886 * — — subsp. sativa 99
 1863 Vigna caracalla L. 01
 887 Wisteria sinensis (Sims) Sweet 01

LENTIBULARIACEAE

- 1806 * *Pinguicula lusitanica* L. 01

LINACEAE

- 889 * *Linum bienne* Mill. 99
 890 * — *setaceum* Brot. 01
 891 * — *strictum* L. 99
 1957 — *usitatissimum* L. 01
 893 * *Radiola linoides* Roth 01

LOGANIACEAE

- 894 *Chilanthus oleraceus* Burch. 99

LYTHRACEAE

- 895 * *Ammannia coccinea* Rotb. 01
 896 *Cuphea ignea* DC. fil. 01
 897 *Heimia myrtifolia* Cham. & Schltr. 01
 1807 — *salicifolia* (Humb., Bompl. & Kunth) Link 01
 898 *Lagerstroemia indica* L. 01
 899 * *Lythrum junceum* Banks & Sol. 01
 901 * — *salicaria* L. 00

MAGNOLIACEAE

- 902 ** *Magnolia grandiflora* L. 01
 903 ** — *soulangeana* Soul.-Bod var. *lennei* Rehder 01

MALVACEAE

- 904 *Abutilon grandifolium* (Willd.) Sweet 00
 1771 *Alcea rosea* L. 00
 907 * *Althaea officinalis* L. 01
 1864 *Hibiscus pedunculatus* L. f. 01
 909 — *syriacus* L. 00
 1922 — *tiliaceus* L. 00
 1726 — *trionum* L. 01
 910 *Lagunaria patersonii* G. Don 01
 911 * *Lavatera arborea* L. 00
 912 * — *cretica* L. 00
 913 * — *olbia* L. 01
 914 * — *trimestris* L. 01
 1727 * *Malva parviflora* L. 99
 916 * — *sylvestris* L. 00
 917 * — *tournefortiana* L. 00
 1923 — *verticillata* L. 01
 918 *Malvaviscus arboreus* Cav. 01
 919 *Pavonia hastata* Cav. 01
 920 — *spinifex* (L.) Cav. 01
 1808 — *urens* Cav. 01
 921 * *Sida rhombifolia* L. 00

MARTYNIACEAE

- 1958 *Ibicella lutea* (Lindl.) Vau Eseltine 01

MELIACEAE

- 923 *Melia azedarach* L. 00

MENISPERMACEAE

- 924 *Cocculus carolinus* (L.) DC. 01
925 — *laurifolius* DC. 01

MORACEAE

- 926 *Dorstenia contrajerva* L. 01
927 *Maclura pomifera* (Raf.) C. K. Schneid. 01
1865 *Morus alba* L. 99
928 — *nigra* L. 01

MYOPORACEAE

- 929 *Myoporum laetum* G. Forst. 00

MYRICACEAE

- 930 *Morella caroliniensis* (Mill.) Wilber 01
931 * — *faya* (Aiton) Wilber 01
932 * *Myrica gale* L. 01

MYRSINACEAE

- 933 *Ardisia crenata* Sims 01
934 — *humilis* Vahl 01

MYRTACEAE

- 936 *Callistemon rigidus* R. Br. 01
1959 *Eucalyptus camaldulensis* Dehnh. 01
937 — *citriodora* Hook. 01
938 — *comuta* Labill. 00
1960 — *crebra* F. Muell. 01
1809 — *globulus* Labill. 01
1961 — *goniocalyx* F. Muell. ex Miq. 01
939 — *maculata* Hook. 01
940 — *obliqua* L'Hér. 01
1962 — *paniculata* Smith 01
941 — *viminalis* Labill. subsp. *viminalis* 01
942 *Eugenia uniflora* DC. 01
943 *Feijoa sellowiana* O. Berg. 01
944 *Kunzea pedunculata* F. Muell. 00
945 *Melaleuca genistifolia* Sm. 00
946 — *huegellii* Endl. 00
947 * *Myrtus communis* L. 01
1866 — *ugni* Molina 01
948 *Psidium guajava* L. 01

- 949 — littorale Raddi var. littorale 01
 1867 — Raddi var. lucidum Hort. 01
 950 *Tristania conferta* R. Br. 00

NYCTAGINACEAE

- 951 *Mirabilis jalapa* L. 00

NYMPHAEACEAE

- 1730 *Victoria cruziana* Orb. 01

OCHNACEAE

- 952 *Ochna multiflora* DC. 00

OLEACEAE

- 954 * *Fraxinus angustifolia* Vahl subsp. *angustifolia* 99
 955 — *omus* L. 00
 956 — *pennsylvanica* Marsh. 00
 957 * *Jasminum fruticans* L. 01
 958 *Ligustrum lucidum* W. T. Aiton 01
 959 — *vulgare* L. 00
 960 *Olea chrysophylla* Lam. 00
 961 * *Phillyrea angustifolia* L. 00
 962 * — *latifolia* L. 00
 963 *Syringa vulgaris* L. 01

ONAGRACEAE

- 964 * *Circaea lutetiana* L. subsp. *lutetiana* 00
 965 * *Epilobium hirsutum* L. 01
 966 * — *lanceolatum* Sebast. & Mauri 01
 1810 *Fuchsia coccinea* Dryand. 01
 969 * *Ludwigia palustris* (L.) Elliot. 01
 970 * *Oenothera glazioviana* Micheli 01
 971 * — *rosea* L. Hér. ex Aiton 00
 972 * — *stricta* Ledeb. Ex Link subsp. *stricta* 00

OROBANCHACEAE

- 973 * *Orobanche gracilis* Sm. 00
 974 * — *hederae* Duby 00
 976 * — *sanguinea* C. Presl 00

OXALIDACEAE

- 977 *Oxalis articulata* Savigny 01
 978 * — *corniculata* L. 01
 979 * — *debilis* Kunth 01
 980 * — *pes-caprae* L. 01

PAEONIACEAE

- 981 * *Paeonia broteroi* Boiss. et Reut. 01

PAPAVERACEAE

- 1812 Argemone mexicana L. 01
 982 * Ceratocarpus claviculata (L.) Lidén 01
 983 * Chelidonium majus L. 00
 984 * Eschscholzia californica Cham. 00
 986 * Fumaria capreolata L. 01
 987 * — muralis Sonder ex Koch 01
 988 * — parviflora Lam. 01
 989 * Glaucium flavum Crantz 00
 1731 * Papaver argemone L. 98
 990 * — dubium L. 01
 991 * — hybridum L. 01
 992 * — rhoeas L. 01
 1813 * — somniferum L. subsp. setigerum (DC.) Arcang. 00
 1732 * Platycarpus spicata (L.) Bernh. 01

PASSIFLORACEAE

- 1814 Passiflora caerulea L. 01
 1733 — capsularis L. 01
 993 — edulis Sims 01
 994 — x exoniensis L. H. Bailey 00
 995 — suberosa L. 01

PHYTOLACCACEAE

- 996 * Phytolacca americana L. 00
 997 — dioica L. 01
 998 * — heteropetala H. Walter 00
 999 Rivina humilis L. 01

PIPERACEAE

- 1868 Peperomia maculosa (L.) Hook. 01

PITTOSPORACEAE

- 1000 Pittosporum crassifolium Putt. 01
 1001 — heterophyllum Franch. 01
 1002 — tobira (Thunb.) W. T. Aiton 01
 1003 — undulatum Vent. 01
 1004 Sollya fusiformis (Labill.) Briq. 01

PLANTAGINACEAE

- 1005 * Plantago afra L. 01
 1734 — aschersonii Bolle 01
 1006 * — bellardii All. 01
 1007 * — coronopus L. subsp. coronopus 00
 1009 * — lanceolata L. 00
 1735 — leriopetala Lowe 01
 1010 * — major L. 01
 1011 * — radicata Hoffmanns. & Link subsp. monticola (Samp.) Franco 01

PLATANACEAE

- 1014 Platanus hispanica Münchh. 01

PLUMBAGINACEAE

- 1015 * Armeria beirana Franco 01
 1016 * — transmontana (Samp.) Lawr. 01
 1017 * — welwitschii Boiss. 01
 1925 * Limonium dodartii (Girard) Kuntze 00
 1926 — latifolium (Sm.) Kuntze 00
 1736 * — vulgare Mill. 00

POLYGALACEAE

- 1021 * Polygala microphylla L. 01
 1927 * — monspeliaca L. 01
 1815 * — vulgaris L. 01

POLYGONACEAE

- 1025 Fallopia baldschuanica (Regel) Holub 00
 1026 * — convolvulus (L.) A. Löve 99
 1027 * — dumetorum (L.) Holub 00
 1028 * Polygonum aviculare L. 00
 1029 * — capitatum Buch.-Ham. ex D. Don 01
 1030 * — equisetiforme Sm. 00
 1031 * — hydropiper L. 99
 1032 * — lapathifolium L. 01
 1033 * — maritimum L. 00
 1034 * — persicaria L. 01
 1036 * Rumex acetosa L. subsp. acetosa 01
 1037 * — acetosella L. subsp. pyrenaicus (Pourr. ex Lapeyr.) Akeroid 99
 1038 * — bucephalophorus L. subsp. gallicus (Steinh.) Rchb.f. 00
 1039 * — conglomeratus Murray 00
 1040 * — crispus L. subsp. crispus 00
 1963 — sanguineus L. 01
 1041 * — scutatus L. subsp. induratus (Boiss. & Reut.) Nyman 00
 1046 * — suffruticosus Gay ex Meissner 99
 1737 * — thirsiflorus Fingerh. subsp. papilaris (Boiss. & Reut.) Sagredo & Malagariga 01

PORTULACACEAE

- 1047 Anacampseros rufescens (Haw.) Sweet 01
 1048 * Montia fontana L. subsp. amporitana Sennen 01
 1928 — perfoliata (Doun ex Willd.) Howell 00
 1049 Portulaca grandiflora Hook. 01
 1050 * — oleracea L. subsp. granulatostellulata (Poelln.) Danin 00
 1051 Portulacaria afra Jacq. 01

PRIMULACEAE

- 1052 * Anagallis arvensis L. 01
 1053 * — monelli L. 01
 1054 * Asterolinon linum-stellatum (L.) Duby 01

- 1929 * *Lysimachia ephemerum* L. 01
 1055 * — *vulgaris* L. 01
 1057 * *Primula acaulis* L. subsp. *acaulis* 00
 1058 * *Samolus valerandi* L. 01

PROTEACEAE

- 1059 *Grevillea robusta* A. Cunn. ex R. Br. 01
 1817 * *Hakea salicifolia* (Vent.) B.L. Burt. 01
 1816 * — *sericea* Schrad 01

PUNICACEAE

- 1060 *Punica granatum* L. 01

RANUNCULACEAE

- 1930 *Adonis aestivalis* L. 00
 1061 *Anemone coronaria* L. 98
 1062 — *cylindrica* A. Gray 00
 1063 * — *palmata* L. 01
 1064 — *virginiana* L. 00
 1066 *Aquilegia canadensis* L. 01
 1068 * — *vulgaris* L. subsp. *dichroa* (Freyn) T. E. Díaz 01
 1069 * — — subsp. *vulgaris* 01
 1070 * *Clematis campaniflora* Brot. 01
 1738 * — *vitalba* L. 00
 1819 *Consolida ajacis* (L.) Schur. 01
 1932 * *Delphinium halteratum* Sm. subsp. *halteratum* 00
 1870 * — *pentagynum* Lam. 00
 1072 * *Helleborus foetidus* L. 01
 1073 * *Nigella damascena* L. 00
 1739 * — *gallica* L. 01
 1933 — *sativa* L. 01
 1074 * *Ranunculus arvensis* L. 00
 1075 — *asiaticus* L. 98
 1077 * — *bullatus* L. 00
 1818 * — *ficaria* L. 00
 1078 * — *gregarius* Brot. 01
 1080 * — *muricatus* L. 01
 1871 * — *ophioglossifolius* Vill. 01
 1934 * — *paludosus* Poir. 01
 1872 * — *parviflorus* L. 01
 1083 * — *trilobus* Desf. 01
 1084 * *Thalictrum speciosissimum* L. 99

RESEDACEAE

- 1086 * *Reseda luteola* L. 99
 1740 * — *media* Lag. 01
 1087 * *Sesamoides purpurascens* (L.) G. López 01

RHAMNACEAE

- 1088 * *Frangula alnus* Mill. subsp. *alnus* 00
 1089 *Hovenia dulcis* Thunb. 01

- 1090 Paliurus spina-christi Mill. 01
 1091 Pomaderris apetala Labill. 01
 1092 * Rhamnus alaternus L. 00
 1093 Ziziphus jujuba Mill. 01

ROSACEAE

- 1094 * Agrimonia eupatoria L. 00
 1095 * Aphanes arvensis L. 01
 1873 Chaenomelless japonica (Thunb.) Lindl. 99
 1097 Cotoneaster lactea W. W. Sm. 00
 1098 Crataegus crus-galli L. 00
 1099 * — monogyna Jacq. 01
 1100 Duchesnea indica (Jacks.) Focke 01
 1101 * Fragaria vesca L. subsp. vesca 01
 1102 * Geum sylvaticum Pourr. 00
 1103 * — urbanum L. 01
 1104 * Potentilla erecta (L.) Raeusch. 01
 1105 Prunus laurocerasus L. 01
 1106 * — lusitanica L. subsp. lusitanica 06
 1108 Pyracantha angustifolia (Franch.) C.K. Schneid. 00
 1109 — crenulata (Roxb.) Roem. 00
 1874 * Pyrus communis L. 01
 1110 Rhamphiolepis umbellata (Thunb.) Makino 01
 1111 — — fa. ovata (Briot) Schneid. 01
 1113 * Rosa canina L. 00
 1820 — rugosa Thunb. 98
 1114 * — sempervirens L. 00
 1115 Rubus idaeus L. 00
 1116 * Sanguisorba hybrida (L.) Font Quer 01
 1117 * — verrucosa (Link ex G. Don) Ces. 99
 1118 Sorbaria sorbifolia (L.) A. Braun 01
 1119 * Sorbus aucuparia L. 01
 1875 * — latifolia (Lam.) Pers 01
 1120 Spiraea japonica L. f. 01

RUBIACEAE

- 1121 Coprosma robusta Raoul 01
 1741 * Crucianella angustifolia L. 01
 1122 * — maritima L. 01
 1123 * Cruciana laevipes Opiz 00
 1125 * Galium aparine L. 01
 1127 * — divaricatum Pourr. ex Lam. 98
 1128 * — murale (L.) All. 00
 1130 * — rotundifolium L. 01
 1131 * — saxatile L. 00
 1135 * — verrucosum Huds. 01
 1935 Phyllis nobla L. 00
 1136 * Rubia peregrina L. 00
 1137 — tinctorum L. 01
 1138 * Sherardia arvensis L. 00
 1139 * Valantia muralis L. 01

RUTACEAE

- 1742 *Atalantia buxifolia* Oliv. 99
 1140 *Citrus myrtifolia* Raf. 01
 1141 *Coleonema pulchrum* Hook. 01
 1876 *Phellodendron lavalleyi* Dode 99
 1142 *Poncirus trifoliata* (L.) Raf. 01
 1143 * *Ruta chalepensis* L. 00
 1144 * — *montana* (L.) L. 01
 1145 *Zanthoxylum armatum* DC. 01
 1146 — *simulans* Hance 00

SANTALACEAE

- 1147 * *Ozyris alba* L. 01
 1148 * *Thesium divaricatum* Jan ex Mert. & Koch 01

SAPINDACEAE

- 1149 *Cordiospermum grandiflorum* Sw. Fa. *Hirsutum* (Willd.) Redlk. 01
 1150 *Dodonaea viscosa* Jacq. 00
 1151 *Koeleruteria paniculata* Laxm. 01

SAURURACEAE

- 1152 *Saururus cernuus* L. 01

SAXIFRAGACEAE

- 1153 *Astilbe japonica* (Merr. & Decne.) A. Gray 01
 1154 * *Saxifraga fragosoi* Sennen 01
 1155 * — *granulata* L. 01
 1156 * — *spathularis* Brot. 01
 1157 * — *stellaris* L. 01
 1877 — *stolonifera* Meerb. 01

SCROPHULARIACEAE

- 1158 * *Anarrhinum bellidifolium* (L.) Willd. 00
 1743 * *Antirrhinum graniticum* Rothm. subsp. *boissieri* (Rothm.) Valdés 01
 1159 * — *majus* L. subsp. *cirrigerum* (Welw. ex Ficalho) Franco 00
 1160 * — — subsp. *linkianum* (Boiss. & Reut.) Rothm. 01
 1161 * — *meonanthum* Hoffmanns. & Link 99
 1162 *Asarina erubescens* (D. Don) Pennell 99
 1744 * *Bartsia aspera* (Brot.) Lange 01
 1163 * *Bellardia trixago* (L.) All. 00
 1164 * *Cymbalaria muralis* P. Gaertn., B. Mey. & Scherb. 01
 1165 * *Digitalis purpurea* L. subsp. *purpurea* 00
 1745 * — *thapsi* L. 01
 1166 * *Gratiola officinalis* L. 00
 1167 *Halleria lucida* L. 00
 1169 * *Kickxia cirrhosa* (L.) Fritsch 01
 1964 * — *elatine* (L.) Dumort. 01
 1170 * — *spuria* (L.) Dumort. subsp. *integrifolia* (Brot.) R. Fern. 01
 1171 * *Linaria amethystea* (Vent.) Hoffmanns. & Link ssp. *multipunctata* (Brot.) Chater & D.A. Webb 00

- 1172 * — caesia (Pers.) DC. ex Chav. subsp. decumbens 01
 1173 * — diffusa Hoffmanns. & Link 01
 1174 * — incarnata (Vent.) Spreng. 01
 1175 * — saxatilis (L.) Chaz. 01
 1176 * — spartea (L.) Willd. var. spartea 00
 1178 * — triornithophora (L.) Willd. 00
 1179 * *Lindernia* dubia (L.) Pennell 01
 1180 * *Misopates* calycinum (Lam.) Rothm. 99
 1181 * — orontium (L.) Raf. 99
 1182 * *Odontitis* tenuifolia (Pers.) G. Don 01
 1184 * *Parentucellia* viscosa (L.) Caruel 99
 1185 *Paulownia* tomentosa (Thunb.) Steud. 01
 1186 * *Pedicularis* sylvatica L. subsp. lusitanica (Hoffmanns. & Link) Cout. 01
 1936 * *Rhinanthus* minor L. 00
 1188 * *Scrophularia* auriculata L. 00
 1189 * — canina L. subsp. canina 00
 1190 * — frutescens L. 00
 1191 * — grandiflora DC. subsp. grandiflora 00
 1192 * — herminii Hoffmanns. & Link 99
 1193 * — sambucifolia L. subsp. sambucifolia 01
 1196 * *Sibthorpia* europaea L. 00
 1197 *Tetranema* roseum (M. Martens & Galeotti) Standl. & Steyerl. 01
 1200 * *Verbascum* levanticum I. K. Ferguson 01
 1201 * — litigiosum Samp. 01
 1203 * — thapsus L. subsp. thapsus 01
 1205 * *Veronica* acinifolia L. 01
 1206 * — anagallis-aquatica L. 01
 1207 * — arvensis L. 01
 1208 * — hederifolia L. subsp. triloba (Opiz) èelak. 00
 1209 * — micrantha Hoffmanns. & Link 01
 1210 * — officinalis L. 01
 1211 * — peregrina L. 00
 1212 * — persica Poir. 00
 1213 * — polita Fries 01

SIMAROUBACEAE

- 1214 * *Ailanthus* altissima (Mill.) Swingle 01

SOLANACEAE

- 1215 *Brunfelsia* latifolia Benth. 01
 1216 *Cyphomandra* crassicalis (Ortega) Kuntze 01
 1217 * *Datura* stramonium L. 00
 1218 * *Hyoscyamus* albus L. 01
 1965 *Iochroma* coccinea Scheid. 01
 1749 *Nicandra* physalodes (L.) Gaertn. 01
 1748 * *Nicotiana* glauca Graham 00
 1937 — rustica L. 00
 1839 — tabacum L. 00
 1747 *Petunia* hybrida Vilm. 01
 1219 * *Physalis* ixocarpa Brot. ex Hornem. 01
 1226 * *Solanum* chenopodioides Lam. 00
 1220 * — dulcamara L. 00
 1222 — mauritianum Scop. 01
 1223 * — nigrum L. subsp. nigrum 00

- 1224 — pseudocapsicum L. 01
 1225 — rantonnetii Carrière ex Lesc. 01
 1227 * — villosum Mill. 01
 1228 Streptosolen jamesonii (Benth.) Miers. 01

STERCULIACEAE

- 1750 Brachychiton acerifolius Cunn. ex F. Muell. 00
 1751 — discolor F. Muell. 00
 1878 — populneum R. Br. 00
 1230 Firmiana simplex (L.) W. Wight 00
 1231 Hermannia denudata L. f. 00

STYRACACEAE

- 1232 Styrax officinalis L. 01

TAMARICACEAE

- 1233 * Tamarix gallica L. 01
 1234 — tetrandra Pallas ex M. Bieb. 99

THELIGONACEAE

- 1235 * Theligonum cynocrambe L. 01

THYMELAEACEAE

- 1879 * Daphne gnidium L. 01
 1966 * Thymelaea passerina (L.) Cosson et Germ. 01

TILIACEAE

- 1880 Sparmannia africana L. f. 01
 1239 — ricinicarpa (Eckl. & Zeyh.) Kuntze 00
 1240 Tilia x euchlora K. Koch 00
 1241 — platyphyllos Scop. 01
 1242 — tomentosa Moench 01
 1243 — x vulgaris Hayne 00

TROPAEOLACEAE

- 1244 Tropaeolum majus L. 99

ULMACEAE

- 1245 Celtis australis L. 01
 1246 — sinensis Pers. 01

UMBELLIFERAE

- 1248 Aethusa cynapium L. 01
 1250 * Ammi visnaga (L.) Lam. 00
 1252 * Angelica angelicastrum (Hoffmanns. & Link) Cout. 01
 1253 * — sylvestris L. 98

- 1255 * *Apium graveolens* L. 00
 1752 * — *nodiflorum* (L.) Lag. 01
 1256 * *Bifora testiculata* (L.) Roth 99
 1258 * *Bupleurum lancifolium* Homeg. 00
 1259 * — *rigidum* L. subsp. *paniculatum* (Brot.) H. Wolff 01
 1263 * *Chaerophyllum temulentum* L. 00
 1264 * *Conium maculatum* L. 99
 1266 * *Conopodium majus* (Gouan) Loret subsp. *majus* 01
 1881 *Coriandrum sativum* L. 01
 1753 * *Crithmum maritimum* L. 99
 1267 * *Daucus carota* L. subsp. *maximus* (Desf.) Ball 99
 1268 * — *crinitus* Desf. 00
 1269 * — *muricatus* (L.) L. 00
 1271 * *Eryngium campestre* L. 01
 1273 * — *dilatatum* Lam. 01
 1274 * — *maritimum* L. 01
 1275 * — *pandanifolium* Cham. & Schlecht. 01
 1276 * — *tenuis* Lam. 01
 1277 * *Ferula communis* L. 00
 1756 * *Ferulago capillifolia* (Link) Franco 01
 1883 *Foeniculum vulgare* Mill. 00
 1278 * — *vulgare* Mill. subsp. *piperitum* (Ucria) Cout. 99
 1280 *Heteromorpha trifoliata* (H. L. Wendl.) Eckl. & Zeyh. 99
 1281 * *Hydrocotyle bonariensis* Lam. 00
 1884 * — *vulgaris* L. 01
 1282 *Kundmannia sicula* (L.) DC. 99
 1283 * *Margotia gummifera* (Desf.) Lange 00
 1284 * *Oenanthe crocata* L. 98
 1289 *Pastinaca sativa* L. subsp. *sativa* 01
 1290 *Petroselinum crispum* (Mill.) A.W. Hill var. *latifolium* Airy Shaw 01
 1291 * — *segetum* (L.) Koch 00
 1292 *Peucedanum cervaria* (L.) Lapeyr. 01
 1293 * — *lancifolium* Lange 99
 1294 * *Physospermum cornubiense* (L.) DC. 01
 1297 * *Pseudorhiza pumila* (L.) Grande 00
 1298 * *Ridolfia segetum* Moris 00
 1299 * *Sanicula europaea* L. 01
 1300 * *Scandix pecten-veneris* L. 99
 1301 * *Selinum carvifolia* (L.) L. 98
 1302 * *Seseli tortuosum* L. 01
 1303 * *Smyrnium olusatrum* L. 99
 1305 * *Thapsia villosa* L. 99
 1306 * *Tordylium maximum* L. 01
 1307 * *Torilis arvensis* (Huds.) Link subsp. *neglecta* (Spreng.) Thell. 01
 1308 * — *nodosa* (L.) Gaertn. 01

URTICACEAE

- 1309 *Boehmeria cylindrica* (L.) Swartz 01
 1310 *Debregeasia longifolia* (Burm.) Wedd. 01
 1311 * *Parietaria judaica* L. 01
 1312 * — *lusitanica* L. subsp. *lusitanica* 00
 1313 *Pilea microphylla* (L.) Liebm. 01
 1314 — *pubescens* Liebm. 01
 1315 *Soleirolia soleiroliae* (Req.) Dandy 00
 1316 * *Urtica dioica* L. 01

- 1317 * — membranacea Poir. 00
 1757 * — pilulifera L. 01
 1318 * — urens L. 00

VALERIANACEAE

- 1319 * *Centranthus calcitrapae* (L.) Dufr. 01
 1320 * — *ruber* (L.) DC. subsp. *ruber* 99
 1321 * *Fedia cornucopiae* (L.) Gaertn. 01
 1885 *Valeriana officinalis* L. 01
 1322 * *Valerianella carinata* Loisel. 01
 1323 * — *discoidea* (L.) Loisel. 00
 1324 * — *microcarpa* Loisel. 00

VERBENACEAE

- 1326 *Duranta repens* L. 01
 1327 *Lantana camara* L. 00
 1329 *Verbena bonariensis* L. 01
 1330 * — *officinalis* L. 00
 1331 *Vitex agnus-castus* L. 01
 1332 — *negundo* L. 01

VIOLACEAE

- 1333 * *Viola arvensis* Murray 01
 1823 * — *kitaibeliana* Schult. 01
 1822 * — *langeana* Valentine 01
 1336 * — *odorata* L. 01
 1338 * — *riviniiana* Reichenb. 01
 1339 — *x wittrockiana* Gams 01

VITACEAE

- 1340 *Ampelopsis aconitifolia* Bunge var. *glabra* Diels 01
 1341 *Parthenocissus quinquefolia* (L.) Planch. 01
 1342 — *tricuspidata* (Siebold & Zucc.) Planch. 01
 1824 *Vitis vinifera* L. 00

ZYGOPHYLLACEAE

- 1343 * *Tribulus terrestris* L. 00

MONOCOTYLEDONES

AGAVACEAE

- 1344 *Cordyline australis* (Forst.) Hook. f. 01
 1938 *Dracaena draco* (L.) L. 01
 1345 *Phormium tenax* J.R. & G. Forts. 01

ALISMATACEAE

- 1346 * *Alisma* *plantago-aquatica* L. 00
 1347 * *Baldellia* *ranunculoides* (L.) Parl. 01

AMARYLLIDACEAE

- 1886 *Amaryllis* *bella-donna* L. 01
 1939 *Alstroemeria* *psittacina* Lehm. 01
 1348 *Clivia* *nobilis* Lindl. 01
 1349 *Hypoxis* *rooperi* T. Moore 01
 1825 — *villosa* L. 01
 1351 * *Leucojum* *autumnale* L. 01
 1352 * *Narcissus* *bulbocodium* L. 01
 1353 * — *callicola* Mendonça 01
 1355 — *tazetta* L. 01
 1828 — *triandrus* L. var. *cernuus* (Salisb.) Bak. 01
 1827 * — L. subsp. *pallidulus* (Graells) Rivas-Goday 01
 1356 * *Pancratium* *maritimum* L. 00

ARACEAE

- 1357 *Aglaonema* *robelinii* (Linden) L. Gentil 01
 1358 * *Anisarum* *vulgare* Targ.-Tozz. subsp. *vulgare* 01
 1359 * *Arum* *italicum* Mill. subsp. *italicum* 01

BROMELIACEAE

- 1360 *Dyckia* *brevifolia* Bak. 00
 1361 — *rariflora* Schult. f. 00
 1362 *Lindmania* *penduliflora* (C. H. Wright) Stapf 01
 1363 *Pitcairnia* *mirabilis* Mez 01

COMMELINACEAE

- 1364 *Palisota* *barteri* Hook. f. 98
 1829 — *bracteosa* C. B. Clarke 01

CYPERACEAE

- 1365 * *Carex* *arenaria* L. 01
 1366 * — *binervis* Sm. 01
 1367 * — *depressa* Link subsp. *depressa* 01
 1368 * — *distachya* Desf. 99
 1369 * — *divulsa* Stokes 01
 1370 * — *echinata* Murray 01
 1383 * — *elata* All. subsp. *reuteriana* (Boiss.) Luceño & Aedo 01
 1371 * — *flacca* Schreb. 00
 1376 * — *leporina* L. 01
 1374 * — *muricata* L. 01
 1377 * — *paniculata* L. subsp. *lusitanica* (Schkuhs) Maire 00
 1378 * — *pendula* Huds. 01
 1887 — *peregrina* Link 01
 1380 * — *pilulifera* L. 01
 1382 * — *remota* L. 99
 1384 * — *riparia* Curtis 01

- 1386 * *Cladium mariscus* (L.) Pohl 00
 1387 * *Cyperus capitatus* Vand. 01
 1389 * — *eragrostis* Lam. 00
 1390 * — *flavescens* L. 01
 1391 * — *fuscus* L. 01
 1888 * *Eleocharis multicaulis* (Sm.) Desv. 00
 1393 * *Fuirema pubescens* (Poir.) Kunth. 01
 1394 *Mariscus ligularis* Urb. 00
 1396 * *Schoenus nigricans* L. 00
 1397 * *Scirpus cernuus* Vahl 01
 1889 * — *fluitans* L. 99
 1400 * — *lacustris* L. 01
 1401 * — *maritimus* L. subsp. *maritimus* 01
 1890 * — *pungens* Vahl 00
 1403 * — *setaceus* L. 01

DIOSCOREACEAE

- 1404 * *Tamus communis* L. 00

GRAMINEAE

- 1405 * *Aegilops geniculata* Roth 01
 1406 * — *triuncialis* L. 99
 1407 * *Agrostis castellana* Boiss. & Reuter var. *mutica* Hack. 00
 1408 * — *curtisii* Kerguelen 99
 1409 * — *pourretii* Willd. 00
 1410 * — *tenerima* Trin. 00
 1411 * — *truncatula* Parl. 00
 1412 * *Aira caryophylla* L. subsp. *uniaristata* (Lag. & Rodr.) Maire 98
 1415 * *Alopecurus myosuroides* Huds. 01
 1416 * *Ammophila arenaria* (L.) Link subsp. *arundinacea* H. Lindb. Fil. 00
 1417 *Ampelodesmos mauritanica* (Poir.) T. Durand & Schinz 01
 1418 * *Anthoxanthum amarum* Brot. 01
 1419 — *aristatum* Boiss. subsp. *aristatum* 01
 1420 * *Antinoria agrostioides* (DC.) Parl. 99
 1421 * *Arrhenatherum elatius* (L.) P. Beauv. ex J. & C. Presl. subsp. *bulbosum* (Willd.) Schubl. & M. Martens 00
 1422 * *Avena barbata* Pott ex Link 01
 1423 — *sterilis* L. subsp. *ludoviciana* (Durieu) Gillet & Magne 01
 1424 * *Avenula albinervis* (Boiss.) Lafnz 01
 1427 * *Brachypodium phoenicoides* (L.) Roem. & Schult. 99
 1429 * *Briza maxima* L. 00
 1430 — *media* L. 01
 1431 * — *minor* L. 01
 1439 * *Bromus catharticus* Vahl 00
 1433 * — *diandrus* Roth 01
 1434 * — *hordeaceus* L. 00
 1436 * — *madritensis* L. 01
 1438 * — *tectorum* L. 00
 1891 *Coix lacryma-jobi* L. 00
 1440 * *Corynephorus canescens* (L.) P. Beauv. 98
 1442 * *Cutandia maritima* (L.) W. Barbey 98
 1443 * *Cynodon dactylon* (L.) Pers. 01
 1444 * *Cynosurus cristatus* L. 98
 1445 * — *echinatus* L. 00

- 1446 * — *elegans* Desf. 01
 1447 * *Dactylis glomerata* L. subsp. *hispanica* (Roth) Nyman 01
 1448 * *Danthonia decumbens* (L.) DC. 01
 1759 * *Deschampsia caespitosa* (L.) P. Beauv. subsp. *caespitosa* 01
 1449 * — *flexuosa* (L.) Trin. 01
 1451 * *Desmazeria rigida* (L.) Tutin subsp. *rigida* 00
 1452 * *Digitaria sanguinalis* (L.) Scop. 00
 1453 * *Echinochloa crus-galli* (L.) P. Beauv. 01
 1454 * *Ehrharta erecta* Lam. 00
 1967 * *Eleusine coracana* (L.) Gaertner 01
 1456 * *Elymus farctus* (Viv.) Runemark ex *Melderis* subsp. *boreali-atlanticus*
 (Simonet & Guin.) *Melderis* 00
 1457 * — *pungens* (Pers.) *Melderis* subsp. *campestris* (Godr. & Gren.)
Melderis 00
 1460 * *Eragrostis cilianensis* (All.) F. T. Hubb. 00
 1461 * — *pilosa* (L.) P. Beauv. 00
 1462 * *Festuca ampla* Hack. subsp. *ampla* 01
 1464 * — *durandii* Clauson 00
 1466 * — *elegans* Boiss. 01
 1468 * — *nigrescens* Lam. subsp. *microphylla* (St. Yves) Markgr.-Dann. 01
 1470 * *Gastridium ventricosum* (Gouan) Schinz & Thell. 00
 1471 * *Gaudinia fragilis* (L.) P. Beauv. 99
 1472 * *Glyceria fluitans* (L.) R. Br. 99
 1473 * *Hainardia cylindrica* (Willd.) Greuter 99
 1474 * *Holcus gayanus* Boiss. 01
 1478 * *Hordeum murinum* L. 00
 1480 * *Hypparrhenia hirta* (L.) Stapf 01
 1481 * *Koeleria caudata* (Link) Steud. 01
 1482 * *Lagurus ovatus* L. 00
 1483 * *Lamarckia aurea* (L.) Moench 00
 1484 * *Leersia oryzoides* (L.) Sw. 01
 1487 * *Lolium temulentum* L. 00
 1488 * *Melica ciliata* L. subsp. *magnolii* (Gren. & Godr.) Husnot 00
 1489 * — *minuta* L. subsp. *minuta* 01
 1490 * — *uniflora* Retz. 01
 1491 * *Micropyrum patens* (Brot.) Rothm. ex Pilg. 01
 1492 * — *tenellum* (L.) Link 00
 1493 * *Miscanthus sinensis* N. J. Andrson 00
 1494 * *Molineriella laevis* (Brot.) Rouy 01
 1495 * *Molinia caerulea* (L.) Moench 00
 1496 * *Nardus stricta* L. 01
 1836 * *Oryza sativa* L. 01
 1834 * *Panicum capillare* L. 00
 1497 * — *prionitis* Nees 00
 1498 * — *repens* L. 01
 1499 * *Parapholis incurva* (L.) C.E. Hubb. 00
 1501 * *Paspalum dilatatum* Poir. 01
 1503 * — *urvillei* Steud. 01
 1504 * — *vaginatum* Sw. 01
 1505 * *Pennisetum villosum* R. Br. ex Fresen. 00
 1760 * *Periballia involucreta* (Cav.) Janka 01
 1506 * *Phalaris aquatica* L. 99
 1507 * — *arundinacea* L. subsp. *arundinacea* 00
 1892 * — *brachystachys* Link 99
 1940 * — *canariensis* L. 01
 1509 * — *minor* Retz. 97

- 1511 * *Phleum pratense* L. subsp. *pratense* 01
 1512 * *Phragmites australis* (Cav.) Trin. ex Steud. subsp. *australis* 00
 1513 * *Piptatherum miliaceum* (L.) Coss. 99
 1514 * *Poa annua* L. 01
 1515 * — *bulbosa* L. 01
 1517 * — *trivialis* L. 00
 1519 * *Polypogon monspeliensis* (L.) Desf. 98
 1518 * — *viridis* (Gouan) Breistr. 00
 1521 * *Pseudarrhenatherum longifolium* (Thore) Rouy 99
 1526 * *Setaria pumila* (Poir.) Roem. & Schult. 00
 1527 * — *verticillata* (L.) P. Beauv. 00
 1835 * *Sorghum bicolor* (L.) Moench. 99
 1529 * — *halepense* (L.) Pers. 01
 1530 * *Spartina maritima* (Curtis) Fernald 00
 1531 * *Sporobolus indicus* (L.) R. Br. 01
 1533 * *Stipagigantea* Link 01
 1536 * *Tripsacum dactyloides* L. 01
 1537 * *Trisetaria hispida* (Lange) Paunero 98
 1538 * — *ovata* (Cav.) Paunero 99

IRIDACEAE

- 1541 * *Chasmanthe aethiopica* (L.) N.E.Br. 01
 1542 * *Gladiolus illyricus* W. D. J. Koch 01
 1544 * *Gynandris sisyrinchium* (L.) Parl. 00
 1545 * *Iris* 'Shelforde Grant' 01
 1546 * — *foetidissima* L. 00
 1548 * — *planifolia* (Mill.) Fiori & Paol. 01
 1549 * — *pseudacorus* L. 01
 1550 * — *subbiflora* Brot. 00
 1547 * — *xiphium* L. var. *lusitanica* (Ker-Gawl.) Franco 00
 1551 * *Lapeyrousia cruenta* (Lindl.) Baker 00
 1552 * *Romulea bulbocodium* (L.) Sebast. & Mauri subsp. *bulbocodium* 01
 1553 * *Watsonia bulbilifera* H. B. Matthews & L. Bolus 01

JUNCACEAE

- 1554 * *Juncus acutus* L. var. *acutus* 00
 1832 * — *articulatus* L. 98
 1555 * — *bufonius* L. 00
 1557 * — *capitatus* Weigel 01
 1968 * — *conglomeratus* L. 01
 1558 * — *effusus* L. var. *effusus* 00
 1559 * — *heterophyllus* Dufour. 00
 1560 * — *imbricatus* Laharpe var. *chamissonis* (Kunth) Buchenau 01
 1562 * — *maritimus* Lam. 00
 1563 * — *squarrosus* L. 01
 1564 * — *tenageia* Ehrh. ex L. f. 00
 1565 * — *valvatus* Link 01
 1567 * *Luzula campestris* (L.) DC. 01
 1969 * — *elegans* Lowe 01
 1568 * — *forsteri* (Sm.) DC. subsp. *forsteri* 01
 1764 * — *lactea* Link ex E. H. Mey. 01
 1569 * — *multiflora* (Retz.) Lej. subsp. *multiflora* 01
 1570 * — *sylvatica* (Huds.) Gaudin subsp. *henriquesii* (Degen) P. Silva 01

JUNCAGINACEAE

- 1572 * *Triglochin maritima* L. 99

LILIACEAE

- 1573 *Agapanthus praecox* Willd. subsp. *orientalis* (F.M. Leight.) F. M. Leight. 01
 1574 ——— subsp. *praecox* 01
 1577 * *Allium ericetorum* Thore 01
 1578 * ——— *neapolitanum* Cyr. 01
 1579 * ——— *paniculatum* L. subsp. *paniculatum* 00
 1580 * ——— *roseum* L. 01
 1581 * ——— *scorzonerifolium* Desf. 01
 1582 * ——— *sphaerocephalon* L. subsp. *sphaerocephalon* 01
 1583 * ——— *triquetrum* L. 01
 1584 * ——— *vineale* L. 01
 1766 *Aloe saponaria* (W. T. Aiton) Haw. 01
 1585 * *Asparagus acutifolius* L. 00
 1586 * ——— *aphyllus* L. 01
 1587 ——— *asparagoides* (L.) Druce 00
 1588 ——— *falcatus* L. 01
 1893 ——— *officinalis* L. 01
 1589 ——— *plumosus* Baker 00
 1590 ——— *sprengeri* Regel 01
 1592 * *Asphodelus aestivus* Brot. 01
 1593 * ——— *fistulosus* L. 00
 1594 * ——— *ramosus* L. 01
 1595 *Bellevallia dubia* (Guss.) Rchb. 01
 1941 *Bulbine semibarbata* (R. Br.) Haw. 01
 1597 *Chlorophytum comosum* (Thunb.) Jacques 01
 1598 * *Colchicum lusitanicum* Brot. 01
 1970 *Dipcadi serotinum* (L.) Medicus subsp. *serotinum* 01
 1599 * *Fritillaria lusitanica* Wikstr. 01
 1894 * ——— *nervosa* Willd. subsp. *nervosa* 01
 1602 * *Hyacinthoides hispanica* (Mill.) Rothm. 01
 1838 * *Lilium martagon* L. 01
 1604 ——— *regale* E. H. Wilson 01
 1605 * *Merendera montana* (L.) Lange 01
 1606 * *Muscari comosum* (L.) Mill. 01
 1607 * ——— *neglectum* Guss. ex Ten. 01
 1971 *Northecium ossifragum* (L.) Hudson 01
 1608 * *Nothoscordum gracile* (Aiton) Stearn 00
 1609 *Ophiopogon jaburan* Lodd. 01
 1610 ——— *japonicus* (L.) Ker. Gawl. 01
 1895 * *Omithogalum broteroi* Laínz 01
 1612 * ——— *concinnum* (Salisb.) Cout. 01
 1613 * ——— *narbonense* L. 00
 1614 * ——— *pyrenaicum* L. 00
 1616 * *Paradisea lusitanica* (Cout.) Samp. 00
 1617 * *Polygonatum odoratum* (Mill.) Druce 00
 1767 *Rhodea japonica* Roth. ex Kunth 00
 1618 * *Ruscus aculeatus* L. 01
 1619 * *Scilla autumnalis* L. 01
 1620 * ——— *monophyllos* Link 99
 1621 * ——— *ramburei* Boiss. subsp. *ramburei* 01
 1622 * *Simethis mattiazzii* (Vand.) Sacc. 01

- 1772 * *Smilax aspera* L. var. *aspera* 01
 1624 * *Urginea maritima* (L.) Baker 01

PALMAE

- 1625 ** *Archontophoenix cunninghamiana* (H. Wendl.) Wendl. & Druce 01
 1626 ** *Arecastrum romanzoffianum* (Cham.) Becc. 01
 1627 ** *Butia capitata* (Mart.) Becc. var. *capitata* 01
 1628 ** — *eriospatha* (Mart.) Becc. 01
 1629 ** *Chamaerops humilis* L. var. *arborescens* Pers. 01
 1630 ** — *humilis* L. var. *humilis* 01
 1631 ** *Jubaea chilensis* (Mollina) Baillon 01
 1632 ** *Livistona australis* (R. Br.) C. F. P. Mart. 01
 1633 ** *Phoenix canariensis* Chabaud 01

PONTEDERIACEAE

- 1635 *Pontederia cordata* L. 01

SPARGANIACEAE

- 1636 * *Sparganium erectum* L. subsp. *erectum* 01

TACCACEAE

- 1637 *Tacca chantrieri* André 01

TYPHACEAE

- 1638 * *Thypha angustifolia* L. 00
 1639 * — *latifolia* L. 01

ZINGIBERACEAE

- 1830 *Globba bulbifera* Roxb. 01

REFERENCES

- Ferrarini, E., Ciampolini, F. R., Pichi-Sermolli, G. & Marchetti, D.
1986 *Iconographia Palynologica Pteridophytum Italiae. Webbia* 40(1): 1-202, tav. 71
- Flora Europaea, vol. 2 - 5
- Flora Iberica, vol. 1 - 6, 7(1, 2), 8
- Franco, J. A.
1971 *Nova Flora de Portugal (Continente e Açores). Vol. I, Lycopodiaceae-Umbelliferae.*
1984 *Nova Flora de Portugal (Continente e Açores). Vol. II. Clethraceae-Compositae.*
- Franco, J. A. & Rocha-Afonso, M. L.
1994 *Nova Flora de Portugal (Continente e Açores). Vol. III, fasc. I, Alismataceae-Indaceae.*
XIII pp. + 1-181 + 2 mapas.
1998 *Nova Flora de Portugal (Continente e Açores). Vol. III, fasc. II, Gramineae.*
- Hansen, A. & Sunding, P.
1993 *Flora of Macaronesia. Checklist of Vascular Plants. 4. Revised ed. Sommerfeltia* 17: 1-295.
- Pichi-Sermolli, R. E. G.
1977 *Tentamen Pteridophytorum genera in taxonomicum ordinem redigendi. Webbia* 31(2): 313-512.
- Press, J. R. & Short, M. J. (ed.)
1994 *Flora of Madeira.*
- Valdés, B., Talavera, S. & Fernández-Galiano, E. (ed.)
1987 *Flora Vascular de Andalucía Occidental* 1-3.

1. The first part of the report is a general introduction to the subject of the study. It discusses the importance of the problem and the objectives of the research. It also mentions the scope of the study and the methods used.

2. The second part of the report is a detailed description of the experimental setup. It includes a list of the equipment used, the procedures followed, and the data collected. This part is essential for understanding the results of the study.

3. The third part of the report is a discussion of the results. It compares the findings with previous studies and discusses the implications of the results. It also mentions the limitations of the study and suggests areas for further research.

4. The fourth part of the report is a conclusion. It summarizes the main findings of the study and states the overall conclusions. It also mentions the significance of the results and the contribution of the study to the field.

5. The fifth part of the report is a list of references. It includes all the sources used in the study, such as books, articles, and other documents. This list is important for verifying the information used in the study and for further research.

6. The sixth part of the report is an appendix. It includes any additional information that is relevant to the study, such as raw data, calculations, and other supporting materials. This part is useful for providing more detail about the study and for verifying the results.

7. The seventh part of the report is a glossary. It defines the key terms used in the study and provides a clear understanding of the terminology. This part is helpful for readers who are not familiar with the subject matter.

8. The eighth part of the report is a bibliography. It lists all the sources used in the study, including books, articles, and other documents. This list is important for verifying the information used in the study and for further research.

9. The ninth part of the report is a list of figures. It includes all the graphs, charts, and other visual representations of data used in the study. This list is helpful for understanding the results of the study and for verifying the findings.

10. The tenth part of the report is a list of tables. It includes all the tables of data used in the study. This list is helpful for understanding the results of the study and for verifying the findings.

INDEX SEMINUM — DESIDERATA 2002

**JARDIM BOTÂNICO DA
UNIVERSIDADE DE COIMBRA**
Calçada Martim de Freitas
3000-393 COIMBRA
PORTUGAL

Cód. Inst.

Reg^o _____ de ____/____/____
N^o Pedidos _____ • Satisfeitos _____
Data ____/____/____ • Peso _____

(For our private use)

(Please write your full address)

- Please limit your request to 30 taxa.
- Bitte nicht mehr als 30 taxa bestellen.
- S'il vous plait ne commandez pas plus de 30 taxa.

Numbers:

Please return your request before
the 1st April 2002

Tel.: 00 351 239 822897
Fax.: 00 351 239 820780
E-mail: jardbot@ci.uc.pt
<http://www.uc.pt/botanica/indexse.htm>

Jardim Botânico da
Universidade de Coimbra
Arcos do Jardim
Calçada Martim de Freitas
3000 COIMBRA
PORTUGAL